

2010 GUIDE TO TOWING

A Supplement to **TRAILER**
LIFE



HUNDREDS OF LISTINGS!

PLUS

- SELECTING A TOW VEHICLE
- HITCH TYPES & MAINTENANCE
- TRAILER-BRAKE CONTROLS
- TIPS ON SAFE TOWING

MAN, TRAILERS ARE LIKE
**WILD
ANIMALS.**

**They're always trying
to get away from you.
Until now. Trailer sway control, standard.**



TRAILER LIFE

FOLLOW THE ROAD TO ADVENTURE

2010 TOW RATINGS GUIDE

COMPILED BY CHRIS HEMER

Key to Charts

a = Automatic Transmission

a4 = Automatic transmission, Four Speeds

a5 = Automatic transmission, Five Speeds

a6 = Automatic transmission, Six Speeds

b = 3.08:1

c = 3.15:1

d = 3.21:1

e = 3.23:1

f = 3.31:1

g = 3.42:1

h = 3.55:1

i = 3.73:1

j = 3.92:1

k = 4.10:1

l = 4.30:1

m = Manual Transmission

m5 = Manual Transmission, Five Speeds

m6 = Manual Transmission, Six Speeds

n = 4.44:1

o = 4.56:1

p = Cooling or other accessory package required

q = 4.88:1

r = 5.38:1

t = Towing package required

AWD = All Wheel Drive

CC = Crew Cab

KC = King Cab

SB = Short Bed

Std. Bed = Standard Bed

LB = Long Bed

SWB = Short Wheelbase

LWB = Long Wheelbase

DRW = Dual Rear Wheels

CV = Cargo Van

PV = Passenger Van

TD = Turbodiesel

TC = Turbocharged

SC = Supercharged

NA = Not applicable, or not available

Vehicle	Engine	Tow Limit (lb)
ACURA		
MDX	3.7L V-6	5,000
AUDI		
Q5	3.2L V-6	4,400
Q7	3.6L V-6	5,500
Q7	3.6L V-6	6,600 (t)
Q7	4.2L V-8	5,500
Q7	4.2L V-8	6,600 (t)
BMW		
X3 3.0i	3.0L I-6	3,500
X5 3.0si	3.0L I-6	6,000
X5 4.8Li	4.8L V-8	6,000
X535d	3.0 I-6 TD	6,000
X635i	3.0L I-6	6,000
X650i	4.4L V-8	6,000
BUICK		
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)
CADILLAC		
Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	7,600
Escalade ESV AWD	6.2L V-8	7,800

Escalade EXT AWD	6.2L V-8	7,500
Escalade Two Mode Hybrid 2WD	6.0L V-8	5,800
Escalade Two Mode Hybrid 4WD	6.0L V-8	5,600
SRX AWD	2.8L V-6 TC	3,500
SRX AWD	3.0L V-6	2,500
SRX AWD	3.0L V-6	3,500 (t)
SRX FWD	3.0L V-6	2,500
SRX FWD	3.0L V-6	3,500 (t)

CHEVROLET/GMC		
Avalanche 1500 2WD	5.3L V-8	5,100 (b)
Avalanche 1500 2WD	5.3L V-8	5,600 (g)
Avalanche 1500 2WD	5.3L V-8	8,100 (g,p)
Avalanche 1500 2WD	6.2L V-8	8,100 (g)
Avalanche 1500 AWD	5.3L V-8	5,400 (g)
Avalanche 1500 AWD	5.3L V-8	7,800 (g,p)
Avalanche 1500 AWD	6.2L V-8	7,700 (g)
Traverse/Acadia FWD	3.6L V-6	2,000
Traverse/Acadia FWD	3.6L V-6	5,200 (t)
Traverse/Acadia AWD	3.6L V-6	2,000
Traverse/Acadia AWD	3.6L V-6	5,200 (t)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	3,400 (a,i)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	2,400 (m,i)
Colorado/Canyon Reg Cab 2WD	3.7L I-5	4,000 (a,i)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	3,200 (a,i)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	2,200 (m,i)
Colorado/Canyon Ext Cab 2WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	6,000 (a,g,l)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	4,000 (a,g)*

*With sport suspension.

Colorado/Canyon CC 2WD	2.9L I-4	3,000 (a,i)
Colorado/Canyon CC 2WD	2.9L I-4	2,100 (m,i)
Colorado/Canyon CC 2WD	3.7L I-5	5,500 (a,g/i)
Colorado/Canyon CC 2WD	5.3L V-8	6,000 (a,g/i)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	3,100 (a,i)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	2,100 (m,i)
Colorado/Canyon Reg Cab 4WD	3.7L I-5	4,000 (a,i)
Colorado/Canyon Ext Cab 4WD	2.9L I-4	2,900 (a,i)
Colorado/Canyon Ext Cab 4WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	6,000 (a,g/i)
Colorado/Canyon CC 4WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon CC 4WD	5.3L V-8	6,000 (a,g/k)
Equinox/Terrain	3.0 V-6	3,500
Express/Savana 1500 SWB CV 2WD	4.3L V-6	4,400
Express/Savana 1500 SWB CV 2WD	5.3L V-8	6,700 (g/i)
Express/Savana 1500 SWB CV AWD	5.3L V-8	6,500
Express/Savana 1500 SWB PV 2WD	5.3L V-8	6,200
Express/Savana 1500 SWB PV AWD	5.3L V-8	6,000
Express/Savana 2500 SWB CV 2WD	4.8L V-8	6,400 (i)
Express/Savana 2500 SWB CV 2WD	4.8L V-8	7,400 (k)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	8,400 (i)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	10,000 (k)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	7,600 (i)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	9,600 (k)
Express/Savana 2500 LWB CV 2WD	4.8L V-8	6,200 (i)
Express/Savana 2500 LWB CV 2WD	4.8L V-8	7,200 (k)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	8,200 (i)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	10,000 (k)
Express/Savana 3500 SWB CV 2WD	4.8L V-8	6,400 (i)
Express/Savana 3500 SWB CV 2WD	4.8L V-8	7,400 (k)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	8,400 (i)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	10,000 (k)
Express/Savana 3500 SWB PV 2WD	6.0L V-8	7,600 (i)
Express/Savana 3500 LWB CV 2WD	4.8L V-8	6,100 (i)
Express/Savana 3500 LWB CV 2WD	4.8L V-8	7,100 (k)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	8,200 (i)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	10,000 (k)
Express/Savana 3500 LWB PV 2WD	6.0L V-8	7,300 (i)

Silverado/Sierra 1500 Reg Cab, Std Bed

1500 Reg Cab Std Bed 2WD	4.3L V-6	4,800 (e)
1500 Reg Cab Std Bed 2WD	4.3L V-6	5,400 (i)
1500 Reg Cab Std Bed 2WD	4.8L V-8	4,700 (e)
1500 Reg Cab Std Bed 2WD	4.8L V-8	7,200 (i)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,600 (b)
1500 Reg Cab Std Bed 2WD	5.3L V-8	7,400 (b,p)
1500 Reg Cab Std Bed 2WD	5.3L V-8	9,100 (g,p)
1500 Reg Cab Std Bed 4WD	4.3L V-6	5,100 (i)
1500 Reg Cab Std Bed 4WD	4.8L V-8	6,000 (g)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,400 (b)
1500 Reg Cab Std Bed 4WD	5.3L V-8	7,100 (b,p)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,900 (g,p)

Silverado/Sierra 1500 Ext Cab, Std Bed

1500 Ext Cab Std Bed 2WD	4.3L V-6	4,400 (e)
1500 Ext Cab Std Bed 2WD	4.8L V-8	4,700 (e)

1500 Ext Cab Std Bed 2WD	4.8L V-8	6,700 (i)
1500 Ext Cab Std Bed 2WD	5.3L V-8	6,200 (b)
1500 Ext Cab Std Bed 2WD	5.3L V-8	6,900 (b,p)
1500 Ext Cab Std Bed 2WD	5.3L V-8	9,700 (g,p)
1500 Ext Cab Std Bed 2WD	6.2L V-8	6,700 (g)
1500 Ext Cab Std Bed 2WD	6.2L V-8	9,700 (g,p)
1500 Ext Cab Std Bed 2WD	6.2L V-8	10,700 (i,t)
1500 Ext Cab Std Bed 4WD	4.8L V-8	5,500 (g)
1500 Ext Cab Std Bed 4WD	5.3L V-8	6,100 (b)
1500 Ext Cab Std Bed 4WD	5.3L V-8	6,800 (b,p)
1500 Ext Cab Std Bed 4WD	5.3L V-8	9,600 (g)
1500 Ext Cab Std Bed 4WD	6.2L V-8	6,400 (g)
1500 Ext Cab Std Bed 4WD	6.2L V-8	9,400 (g,p)
1500 Ext Cab Std Bed 4WD	6.2L V-8	10,400 (i,t)

Silverado/Sierra 1500 CC, Shortbed

1500 CC Short Box 2WD	4.8L V-8	4,700 (e)
1500 CC Short Box 2WD	4.8L V-8	6,700 (i)
1500 CC Short Box 2WD	5.3L V-8	6,100 (b)
1500 CC Short Box 2WD	5.3L V-8	6,800 (b,p)
1500 CC Short Box 2WD (XFE)	5.3L V-8	7,000 (b)
1500 CC Short Box 2WD	5.3L V-8	9,600 (g,p)
1500 CC Short Box 2WD	6.2L V-8	6,600 (g)
1500 CC Short Box 2WD	6.2L V-8	9,600 (g,p)
1500 CC Short Box 2WD	6.2L V-8	10,600 (i,t)
1500 CC Short Box 4WD	4.8L V-8	5,500 (g)
1500 CC Short Box 4WD	5.3L V-8	6,000 (b)
1500 CC Short Box 4WD	5.3L V-8	6,700 (b,p)
1500 CC Short Box 4WD	5.3L V-8	9,500 (g)
1500 CC Short Box 4WD	6.2L V-8	6,400 (g)
1500 CC Short Box 4WD	6.2L V-8	9,400 (g,p)
1500 CC Short Box 4WD	6.2L V-8	10,400 (i,t)

Sierra Denali CC Shortbed, 1500 2WD and AWD

Sierra Denali CC Shortbed 2WD	6.2L V-8	6,600
Sierra Denali CC Shortbed 2WD	6.2L V-8	9,600 (p)
Sierra Denali CC Shortbed AWD	6.2L V-8	6,300
Sierra Denali CC Shortbed AWD	6.2L V-8	9,300 (p)

Silverado/Sierra 1500 Reg Cab LB

1500 Reg Cab LB 2WD	4.3L V-6	4,700 (e)
1500 Reg Cab LB 2WD	4.3L V-6	5,200 (i)
1500 Reg Cab LB 2WD	4.8L V-8	5,100 (e)
1500 Reg Cab LB 2WD	4.8L V-8	7,100 (i)
1500 Reg Cab LB 2WD	5.3L V-8	6,500 (b)
1500 Reg Cab LB 2WD	5.3L V-8	7,200 (b,p)
1500 Reg Cab LB 2WD	5.3L V-8	6,500 (a6,g)
1500 Reg Cab LB 2WD	5.3L V-8	10,000 (a6,g,p)
1500 Reg Cab LB 4WD	4.3L V-6	5,000 (i)
1500 Reg Cab LB 4WD	4.8L V-8	5,800 (g)
1500 Reg Cab LB 4WD	5.3L V-8	6,300 (b)
1500 Reg Cab LB 4WD	5.3L V-8	7,000 (b,p)
1500 Reg Cab LB 4WD	5.3L V-8	9,800 (g,p)

Silverado/Sierra 1500 Ext Cab LB

1500 Ext Cab LB 2WD	5.3L V-8	6,000 (b)
---------------------	----------	-----------

1500 Ext Cab LB 2WD	5.3L V-8	6,700 (b,p)
1500 Ext Cab LB 2WD	5.3L V-8	9,500 (g,p)

Silverado/Sierra Two-Mode Hybrid

Two-mode hybrid 2WD	6.0L V-8	6,100
Two-mode hybrid 4WD	6.0L V-8	5,900

Travel-trailer ratings are shown on standard and long-box models; fifth-wheel ratings may be considerably lower. Shortbed models are neither designed, nor intended, to tow a fifth-wheel trailer.

Silverado/Sierra 2500 Ext Cab Std Bed

2500 Ext Cab Std Bed 2WD	6.0L V-8	10,200 (i)
2500 Ext Cab Std Bed 2WD	6.0L V-8	12,700 (k)
2500 Ext Cab Std Bed 2WD	6.6L V-8 TD	15,500 (i)
2500 Ext Cab Std Bed 4WD	6.0L V-8	9,900 (j)
2500 Ext Cab Std Bed 4WD	6.0L V-8	12,400 (k)
2500 Ext Cab Std Bed 4WD	6.6L V-8 TD	14,500 (i)

Silverado/Sierra 2500 CC Std Bed

2500 CC Std Bed 2WD	6.0L V-8	10,000 (i)
2500 CC Std Bed 2WD	6.0L V-8	12,500 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	15,300 (i)
2500 CC Std Bed 4WD	6.0L V-8	9,800 (j)
2500 CC Std Bed 4WD	6.0L V-8	12,300 (k)
2500 CC Std Bed 4WD	6.6L V-8 TD	13,900 (i)

Silverado/Sierra 2500 Reg Cab LB

2500 Reg Cab LB 2WD	6.0L V-8	10,500 (i)
2500 Reg Cab LB 2WD	6.0L V-8	13,000 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	15,800 (i)
2500 Reg Cab LB 4WD	6.0L V-8	10,200 (j)
2500 Reg Cab LB 4WD	6.0L V-8	12,700 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	15,500 (i)

Silverado/Sierra 2500 Ext Cab LB

2500 Ext Cab LB 2WD	6.0L V-8	10,000 (i)
2500 Ext Cab LB 2WD	6.0L V-8	12,500 (k)
2500 Ext Cab LB 2WD	6.6L V-8 TD	15,300 (i)
2500 Ext Cab LB 4WD	6.0L V-8	9,800 (j)
2500 Ext Cab LB 4WD	6.0L V-8	12,300 (k)
2500 Ext Cab LB 4WD	6.6L V-8 TD	13,800 (i)

Silverado/Sierra 2500 CC LB

2500 CC LB 2WD	6.0L V-8	9,900 (i)
2500 CC LB 2WD	6.0L V-8	12,400 (k)
2500 CC LB 2WD	6.6L V-8 TD	14,500 (i)
2500 CC LB 4WD	6.0L V-8	9,600 (j)
2500 CC LB 4WD	6.0L V-8	12,100 (k)
2500 CC LB 4WD	6.6L V-8 TD	13,000 (i)

Silverado/Sierra 3500 Reg Cab

3500 Reg Cab SRW 4WD	6.0L V-8	10,000 (i)
3500 Reg Cab SRW 4WD	6.0L V-8	12,500 (k)
3500 Reg Cab SRW 4WD	6.6L V-8 TD	15,400 (i)
3500 Reg Cab DRW 4WD	6.0L V-8	9,700 (j)
3500 Reg Cab DRW 4WD	6.0L V-8	12,200 (k)

3500 Reg Cab DRW 4WD	6.6L V-8 TD	16,500 (i)
----------------------	-------------	------------

Silverado/Sierra 3500 Ext Cab

3500 Ext Cab SRW 2WD	6.0L V-8	9,900 (i)
3500 Ext Cab SRW 2WD	6.0L V-8	12,400 (k)
3500 Ext Cab SRW 2WD	6.6L V-8 TD	15,400 (i)
3500 Ext Cab DRW 2WD	6.0L V-8	9,500 (j)
3500 Ext Cab DRW 2WD	6.0L V-8	12,000 (k)
3500 Ext Cab DRW 2WD	6.6L V-8 TD	16,300 (i)
3500 Ext Cab SRW 4WD	6.0L V-8	9,600 (j)
3500 Ext Cab SRW 4WD	6.0L V-8	12,100 (k)
3500 Ext Cab SRW 4WD	6.6L V-8 TD	14,900 (i)
3500 Ext Cab DRW 4WD	6.0L V-8	9,200 (j)
3500 Ext Cab DRW 4WD	6.0L V-8	11,700 (k)
3500 Ext Cab DRW 4WD	6.6L V-8 TD	16,100 (i)

Silverado/Sierra 3500 CC

3500 CC SRW 2WD	6.0L V-8	9,700 (j)
3500 CC SRW 2WD	6.0L V-8	12,200 (k)
3500 CC SRW 2WD	6.6L V-8 TD	15,100 (i)
3500 CC DRW 2WD	6.0L V-8	9,300 (k)
3500 CC DRW 2WD	6.0L V-8	11,800 (k)
3500 CC DRW 2WD	6.6L V-8 TD	16,200 (i)
3500 CC SRW 4WD	6.0L V-8	9,400 (j)
3500 CC SRW 4WD	6.0L V-8	11,900 (k)
3500 CC SRW 4WD	6.6L V-8 TD	14,800 (i)
3500 CC DRW 4WD	6.0L V-8	9,100 (j)
3500 CC DRW 4WD	6.0L V-8	11,600 (k)
3500 CC DRW 4WD	6.6L V-8 TD	15,900 (i)

Chevy Tahoe and Suburban, GMC Yukon, Yukon XL, Yukon and Yukon XL Denali 1500 Series

Tahoe/Yukon 2WD	5.3L V-8	5,400 (b)
Tahoe/Yukon 2WD	5.3L V-8	5,900 (g)
Tahoe/Yukon 2WD	5.3L V-8	8,400 (g,p)
Tahoe/Yukon Two-Mode Hybrid, 2WD	6.0L V-8	6,200
Tahoe/Yukon 4WD	5.3L V-8	5,200 (b)
Tahoe/Yukon 4WD	5.3L V-8	5,700 (g)
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g,p)
Tahoe/Yukon Two-Mode Hybrid, 4WD	6.0L V-8	6,000
Suburban/Yukon XL 2WD	5.3L V-8	5,100 (b)
Suburban/Yukon XL 2WD	5.3L V-8	5,600 (g)
Suburban/Yukon XL 2WD	5.3L V-8	8,100 (g,p)
Suburban/Yukon XL 2WD	6.2L V-8	8,100 (g)
Suburban/Yukon XL 4WD	5.3L V-8	5,400 (g)
Suburban/Yukon XL 4WD	5.3L V-8	7,900 (g,p)
Suburban/Yukon XL 4WD	6.2L V-8	7,900
Yukon Denali 2WD	6.2L V-8	8,300
Yukon Denali Two-Mode Hybrid, 2WD	6.0L V-8	6,000
Yukon Denali AWD	6.2L V-8	8,100
Yukon Denali Two-Mode Hybrid, AWD	6.0L V-8	5,700
Yukon XL Denali 2WD	6.2L V-8	7,600
Yukon XL Denali AWD	6.2L V-8	7,900

Chevy Suburban, GMC Yukon XL 2500

2500 Long Wheelbase 2WD	6.0L V-8	9,600
-------------------------	----------	-------

2500 Long Wheelbase 4WD	6.0L V-8	9,300
-------------------------	----------	-------

CHRYSLER/DODGE

Chrysler 300	3.5L V-6	2,000
Chrysler 300	5.7L V-8	2,000
Caliber	2.4L I-4	2,000 (t)
Charger	3.5L V-6	2,000
Charger	5.7L V-8	2,000
Grand Caravan	3.8L V-6	3,800 (t)
Grand Caravan	4.0L V-6	3,800 (t)
Journey	3.5L V-6	3,500 (t)
Town and Country	3.8L V-6	3,800 (t)
Town and Country	4.0L V-6	3,800 (t)

Dodge Dakota Shortbed

Dakota Ext Cab SB 2WD	3.7L V-6	4,650 (a4,h)
Dakota Ext Cab SB 2WD	3.7L V-6	4,950 (a4,j)
Dakota Ext Cab SB 2WD	4.7L V-8	6,050 (a5,h)
Dakota Ext Cab SB 2WD	4.7L V-8	7,250 (a5,j)
Dakota Ext Cab SB 4WD	3.7L V-6	4,750 (a4,j)
Dakota Ext Cab SB 4WD	4.7L V-8	5,850 (a5,h)
Dakota Ext Cab SB 4WD	4.7L V-8	7,050 (a5,j)
Dakota CC SB 2WD	3.7L V-6	4,500 (a4,h)
Dakota CC SB 2WD	3.7L V-6	4,800 (a4,j)
Dakota CC SB 2WD	4.7L V-8	5,850 (a5,h)
Dakota CC SB 2WD	4.7L V-8	7,050 (a5,j)
Dakota CC SB 4WD	3.7L V-8	4,650 (a4,j)
Dakota CC SB 4WD	4.7L V-8	5,700 (a5,h)
Dakota CC SB 4WD	4.7L V-8	6,900 (a5,j)

Ratings shown are for the ST trim level. Ratings may be reduced slightly in SXT, TRX and Laramie, depending on model (regular, extended or crew cab).

Ram 1500 Regular Cab Shortbed

1500 Reg Cab SB 2WD	3.7L V-6	3,800 (a4,h/j)
1500 Reg Cab SB 2WD	4.7L V-8	6,650 (a5,r)
1500 Reg Cab SB 2WD	4.7L V-8	7,650 (a5,j)
1500 Reg Cab SB 2WD	5.7L V-8	6,100 (a5,d)
1500 Reg Cab SB 2WD	5.7L V-8	8,100 (a5,h)
1500 Reg Cab SB 2WD	5.7L V-8	9,100 (a5,j)
1500 Reg Cab SB 4WD	4.7L V-8	6,500 (a5,h*)
1500 Reg Cab SB 4WD	4.7L V-8	7,450 (a5,j*)
1500 Reg Cab SB 4WD	5.7L V-8	7,900 (a5,h*)
1500 Reg Cab SB 4WD	5.7L V-8	8,850 (a5,j)

Ram 1500 Regular Cab Longbed

1500 Reg Cab LB 2WD	3.7L V-6	3,650 (a4,j)
1500 Reg Cab LB 2WD	4.7L V-8	6,500 (a5,h)
1500 Reg Cab LB 2WD	4.7L V-8	7,500 (a5,j)
1500 Reg Cab LB 2WD	5.7L V-8	5,950 (a5,d)
1500 Reg Cab LB 2WD	5.7L V-8	7,950 (a5,h)
1500 Reg Cab LB 2WD	5.7L V-8	10,450 (a5,j)
1500 Reg Cab LB 4WD	4.7L V-8	6,300 (a5,h*)
1500 Reg Cab LB 4WD	4.7L V-8	7,300 (a5,j*)
1500 Reg Cab LB 4WD	5.7L V-8	7,750 (a5,h*)
1500 Reg Cab LB 4WD	5.7L V-8	10,250 (a5,j*)

*Ratings for LT265 tires. LT275 tires rated 50-100 pounds less, depending on model.

Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.7L V-6	3,400 (a4,j)
Ram 1500 Quad Cab 2WD	4.7L V-8	6,250 (a5,h)
Ram 1500 Quad Cab 2WD	4.7L V-8	7,250 (a5,j)
Ram 1500 Quad Cab 2WD	5.7L V-8	5,800 (a5,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	7,700 (a5,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,200 (a5,j)
Ram 1500 Quad Cab 4WD	4.7L V-8	6,050 (a5,h)
Ram 1500 Quad Cab 4WD	4.7L V-8	7,050 (a5,j)
Ram 1500 Quad Cab 4WD	5.7L V-8	7,500 (a5,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,000 (a5,j)

Ram 1500 Crew Cab

Ram 1500 CC 2WD	4.7L V-8	6,200 (a5,h)
Ram 1500 CC 2WD	4.7L V-8	7,200 (a5,j)
Ram 1500 CC 2WD	5.7L V-8	5,700 (a5,d)
Ram 1500 CC 2WD	5.7L V-8	7,700 (a5,h)
Ram 1500 CC 2WD	5.7L V-8	10,200 (a5,j)
Ram 1500 CC 4WD	4.7L V-8	6,000 (a5,h)
Ram 1500 CC 4WD	4.7L V-8	7,000 (a5,j)
Ram 1500 CC 4WD	5.7L V-8	7,450 (a5,h)
Ram 1500 CC 4WD	5.7L V-8	9,950 (a5,j)

Ratings shown are for models with 17-inch wheels. Models with 20-inch wheels have slightly lower ratings, depending on model and equipment. See dealer for details.

Ram 2500 Regular Cab Longbed

Ram 2500 LB 2WD	5.7L V-8	9,350 (a5,i)
Ram 2500 LB 2WD	5.7L V-8	11,350 (a5,k)
Ram 2500 LB 2WD	6.7L I-6 TD	12,350 (m6,g)
Ram 2500 LB 2WD	6.7L I-6 TD	13,350 (m6,i)
Ram 2500 LB 2WD	6.7L I-6 TD	10,450 (a6,g)
Ram 2500 LB 2WD	6.7L I-6 TD	13,450 (a6,i/k)
Ram 2500 LB 4WD	5.7L V-8	8,950 (a5,i)
Ram 2500 LB 4WD	5.7L V-8	10,950 (a5,k)
Ram 2500 LB 4WD	6.7L I-6 TD	12,000 (m6,g)
Ram 2500 LB 4WD	6.7L I-6 TD	13,000 (m6,i)
Ram 2500 LB 4WD	6.7L I-6 TD	10,100 (a6,g)
Ram 2500 LB 4WD	6.7L I-6 TD	13,100 (a6,i/k)

Ram 2500 Crew Cab Shortbed

Ram 2500 CC SB 2WD	5.7L V-8	9,100 (a5,j)
Ram 2500 CC SB 2WD	5.7L V-8	11,100 (a5,k)
Ram 2500 CC SB 2WD	6.7L I-6 TD	12,100 (m6,g)
Ram 2500 CC SB 2WD	6.7L I-6 TD	13,100 (m6,i)
Ram 2500 CC SB 2WD	6.7L I-6 TD	10,250 (a6,g)
Ram 2500 CC SB 2WD	6.7L I-6 TD	13,250 (a6,i)
Ram 2500 CC SB 4WD	5.7L V-8	8,600 (a5,i)
Ram 2500 CC SB 4WD	5.7L V-8	10,600 (a5,k)
Ram 2500 Power Wagon 4WD	5.7L V-8	10,250 (a5,o)
Ram 2500 CC SB 4WD	6.7L I-6 TD	11,700 (m6,g)
Ram 2500 CC SB 4WD	6.7L I-6 TD	12,700 (m6,i)
Ram 2500 CC SB 4WD	6.7L I-6 TD	9,750 (a6,g)
Ram 2500 CC SB 4WD	6.7L I-6 TD	12,750 (a6,i/k)

Ram 2500 Crew Cab Longbed

Ram 2500 CC LB 2WD	5.7L V-8	8,900 (a5,i)
Ram 2500 CC LB 2WD	5.7L V-8	10,900 (a5,k)
Ram 2500 CC LB 2WD	6.7L I-6 TD	12,000 (m6,g)
Ram 2500 CC LB 2WD	6.7L I-6 TD	13,000 (m6,i)
Ram 2500 CC LB 2WD	6.7L I-6 TD	10,050 (a6,g)
Ram 2500 CC LB 2WD	6.7L I-6 TD	13,050 (a6,i/k)
Ram 2500 CC LB 4WD	5.7L V-8	8,500 (a5,i)
Ram 2500 CC LB 4WD	5.7L V-8	10,500 (a5,k)
Ram 2500 CC LB 4WD	6.7L I-6 TD	11,600 (m6,g)
Ram 2500 CC LB 4WD	6.7L I-6 TD	12,600 (m6,i)
Ram 2500 CC LB 4WD	6.7L I-6 TD	9,650 (a6,g)
Ram 2500 CC LB 4WD	6.7L I-6 TD	12,650 (a6,i/k)

Ram 2500 Mega Cab

Ram 2500 Mega Cab 2WD	5.7L V-8	8,600 (a5,i)
Ram 2500 Mega Cab 2WD	5.7L V-8	10,600 (a5,k)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	11,750 (m6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	12,750 (m6,i)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	9,850 (a6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	12,850 (a6,i/k)
Ram 2500 Mega Cab 4WD	5.7L V-8	8,150 (a5,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	10,150 (a5,k)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	11,300 (m6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	12,300 (m6,i)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	9,400 (a6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	12,400 (a6,i/k)

Ram 3500 Regular Cab Longbed

Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	12,000 (m6,g)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	14,000 (m6,i)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	10,100 (a6,g)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	14,100 (a6,i)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	18,500 (a6,k)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	11,700 (m6,g)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	13,700 (m6,i)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	9,800 (a6,g)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	13,800 (a6,i)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	18,200 (a6,k)

Ram 3500 Crew Cab Shortbed

Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	12,150 (m6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	14,150 (m6,i)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	10,250 (a6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	14,250 (a6,i)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,250 (a6,k)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	11,800 (m6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	13,800 (m6,i)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	9,900 (a6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	13,900 (a6,i)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	16,900 (a6,k)

Ram 3500 Crew Cab Longbed

Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	11,850 (m6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	13,850 (m6,i)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	9,900 (a6,g)

Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	13,900 (a6,i)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	16,900 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	11,550 (m6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	13,550 (m6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	9,650 (a6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	13,650 (a6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	18,050 (a6,k)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	11,700 (m6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	13,700 (m6,i)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	9,800 (a6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	13,800 (a6,i)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,800 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	11,350 (m6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	13,350 (m6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	9,450 (a6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	13,450 (a6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,850 (a6,k)

Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	11,750 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	13,750 (m6,i)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	9,800 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	13,800 (a6,i)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,800 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	11,400 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	13,400 (m6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	9,500 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	13,500 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,900 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	11,350 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	13,350 (m6,i)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	9,450 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	13,450 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,450 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	11,000 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	13,000 (m6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	9,050 (a6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	13,050 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,450 (a6,k)

2011 Ram 3500/4500/5500 Chassis Cab

3500 Regular Chassis Cab SRW 2WD	6.7L I-6 TD	12,443 (m,g)
3500 Regular Chassis Cab SRW 2WD	6.7L I-6 TD	17,443 (m,i/k)
3500 Regular Chassis Cab SRW 2WD	6.7L I-6 TD	17,379 (a,k)
3500 Regular Chassis Cab SRW 4WD	6.7L I-6 TD	12,216 (m,g)
3500 Regular Chassis Cab SRW 4WD	6.7L I-6 TD	17,216 (m,i/k)
3500 Regular Chassis Cab SRW 4WD	6.7L I-6 TD	17,152 (a,k)
3500 Regular Chassis Cab DRW 2WD	5.7L V-8	10,937 (a,k)
3500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	12,170 (m,g)
3500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	17,170 (m,i)
3500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	19,170 (m,k)
3500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	17,106 (a,k)
3500 Regular Chassis Cab DRW 4WD	5.7L V-8	10,679 (a5,k)
3500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	11,910 (m,g)
3500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	16,910 (m,i)
3500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	18,910 (m,k)

3500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	16,846 (a6,k)
----------------------------------	-------------	---------------

Note: Weights shown are for 3500 Regular Chassis Cab models with a 143.5-inch wheelbase. Weights for longer-wheelbase models are somewhat less.

3500 Crew Chassis Cab SRW 2WD	6.7L I-6 TD	11,939 (m,g)
3500 Crew Chassis Cab SRW 2WD	6.7L I-6 TD	16,939 (m,i/k)
3500 Crew Chassis Cab SRW 2WD	6.7L I-6 TD	16,875 (a,k)
3500 Crew Chassis Cab SRW 4WD	6.7L I-6 TD	11,676 (m,g)
3500 Crew Chassis Cab SRW 4WD	6.7L I-6 TD	16,676 (m,i/k)
3500 Crew Chassis Cab SRW 4WD	6.7L I-6 TD	16,612 (a,k)
3500 Crew Chassis Cab DRW 2WD	5.7L V-8	10,593 (a5,k)
3500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	11,635 (m,g)
3500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	16,635 (m,i)
3500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	18,635 (m,k)
3500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	16,571 (a6,k)
3500 Crew Chassis Cab DRW 4WD	5.7L V-8	10,135 (a5,k)
3500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	11,375 (m,g)
3500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	16,375 (m,i)
3500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	18,375 (m,k)
3500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	16,311 (a6,k)

Note: Weights shown are for 3500 Crew Chassis Cab models with a 173.5-inch wheelbase. Weights for 197.5-inch wheelbase models are somewhat less.

4500 Regular Cab DRW 2WD	6.7L I-6 TD	18,300 (m,k/n)
4500 Regular Cab DRW 2WD	6.7L I-6 TD	18,250 (a,n/q)
4500 Regular Cab DRW 4WD	6.7L I-6 TD	17,950 (m,k/n)
4500 Regular Cab DRW 4WD	6.7L I-6 TD	17,900 (a,n/q)

Note: Weights shown are for 4500 Regular Chassis Cab models with a 144.5-inch wheelbase. Weights for longer-wheelbase models are somewhat less.

4500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	17,600 (m,k/n)
4500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	17,550 (a,n/q)
4500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	17,300 (m,k/n)
4500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	17,250 (a,n/q)

Weights shown are for 4500 Crew Chassis Cab models with a 173.5-inch wheelbase. Weights for 197.5-inch models are somewhat less.

5500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	18,250 (m,n)
5500 Regular Chassis Cab DRW 2WD	6.7L I-6 TD	18,200 (a,q)
5500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	17,950 (m,n)
5500 Regular Chassis Cab DRW 4WD	6.7L I-6 TD	17,850 (a,q)

Note: Weights shown are for 5500 Regular Chassis Cab models with a 144.5-inch wheelbase. Weights for longer-wheelbase models are somewhat less.

5500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	17,550 (m,n)
5500 Crew Chassis Cab DRW 2WD	6.7L I-6 TD	17,500 (a,q)
5500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	17,250 (m,n)
5500 Crew Chassis Cab DRW 4WD	6.7L I-6 TD	17,200 (a,q)

Note: Weights shown are for 5500 Crew Chassis Cab models with a 173.5-inch wheelbase. Weights for 197.5-inch models are somewhat less.

FORD

E-Series Van/Wagon

E-150 Van	4.6L V-8	6,000 (i)
E-150 Van	4.6L V-8	6,500 (k)

E-150 Van	5.4L V-8	7,400 (i/k)
E-150 Extended Van	4.6L V-8	5,900 (j)
E-150 Extended Van	4.6L V-8	6,400 (k)
E-150 Extended Van	5.4L V-8	7,300 (i/k)
E-250 Van	4.6L V-8	6,000 (j)
E-250 Van	4.6L V-8	6,500 (k)
E-250 Van	5.4L V-8	7,400 (i/k)
E-250 Extended Van	4.6L V-8	5,900 (j)
E-250 Extended Van	4.6L V-8	6,400 (k)
E-250 Extended Van	5.4L V-8	7,300 (i/k)
E-350 Super Duty Van	5.4L V-8	7,300 (i/k)
E-350 Super Duty Van	6.8L V-10	9,100 (j)
E-350 Super Duty Van	6.8L V-10	10,000 (k)
E-350 Super Duty Van	6.0L V-8 TD	9,600 (h)
E-350 Super Duty Van	6.0L V-8 TD	10,000 (k)
E-350 Super Duty Extended Van	5.4L V-8	7,200 (i/k)
E-350 Super Duty Extended Van	6.8L V-10	9,000 (j)
E-350 Super Duty Extended Van	6.8L V-10	10,000 (k)
E-350 Super Duty Extended Van	6.0L V-8 TD	9,500 (h)
E-350 Super Duty Extended Van	6.0L V-8 TD	10,000 (k)
E-150 Wagon	4.6L V-8	5,600 (j)
E-150 Wagon	4.6L V-8	6,100 (k)
E-150 Wagon	5.4L V-8	7,000 (i/k)
E-350 Super Duty Wagon	5.4L V-8	6,700 (i/k)
E-350 Super Duty Wagon	6.8L V-10	8,500 (j)
E-350 Super Duty Wagon	6.8L V-10	10,000 (k)
E-350 Super Duty Ext. Wagon	5.4L V-8	6,500 (i/k)*
E-350 Super Duty Ext. Wagon	6.8L V-10	8,300 (j)*
E-350 Super Duty Ext. Wagon	6.8L V-10	10,000 (k)*

**Ratings for 11-passenger van. Ratings for 14-15 passenger van up to 200 pounds less.*

Edge, Escape, Explorer, Expedition, Flex

Edge	3.5L V-6	2,000
Edge	3.5L V-6	3,500 (t)
Escape 2WD/4WD	3.0L V-6	3,500 (t)
Escape 2WD/4WD Hybrid	3.0L V-6	3,500 (t)
Explorer 2WD	4.0L V-6	3,500 (h/i)
Explorer 2WD	4.0L V-6	5,375 (t)
Explorer 4WD	4.0L V-6	3,500 (h)
Explorer 4WD	4.0L V-6	5,205 (t)
Explorer 4WD	4.6L V-8	3,500 (h)
Explorer 4WD	4.6L V-8	7,115 (h,t)
Explorer AWD	4.0L V-6	3,500 (h)
Explorer AWD	4.0L V-6	5,000 (t)
Explorer AWD	4.6L V-8	7,115 (h)
Sport Trac 2WD	4.0L V-6	5,250 (j)
Sport Trac 2WD	4.6L V-8	7,160 (h)
Sport Trac 2WD/AWD	4.0L V-6	5,080 (j)
Sport Trac 2WD/AWD	4.6L V-8	6,990 (h)
Expedition 2WD/4WD	5.4L V-8	6,000 (all)
Expedition 2WD	5.4L V-8	9,200 (t)
Expedition 4WD	5.4L V-8	8,900 (t)
Expedition EL 2WD	5.4L V-8	6,000
Expedition EL 2WD	5.4L V-8	8,900 (t)
Expedition EL 4WD	5.4L V-8	6,000

Expedition EL 4WD	5.4L V-8	8,700 (t)
Flex	3.5L V-6	2,000
Flex	3.5L V-6	4,500 (t)

Ranger

Ranger Regular Cab SB 2WD	2.3L I-4	2,200
Ranger Regular Cab LB 2WD	2.3L I-4	2,160
Ranger Regular Cab LB 2WD	4.0L V-6	5,940
Ranger SuperCab 2WD	4.0L V-6	3,300 (m)
Ranger SuperCab 2WD	4.0L V-6	3,220 (m*)
Ranger SuperCab 2WD	4.0L V-6	5,760
Ranger SuperCab 2WD	4.0L V-6	5,660
Ranger SuperCab 4WD	4.0L V-6	3,080 (m)
Ranger SuperCab 4WD	4.0L V-6	5,540

*Ranger Sport.

F-150

F-150 Reg. Cab SB 2WD	4.6L V-8 2V	5,400 (a4,h)
F-150 Reg. Cab SB 2WD	4.6L V-8 2V	5,900 (a4,i)
F-150 Reg. Cab LB 2WD	4.6L V-8 2V	5,500 (a4,h)
F-150 Reg. Cab LB 2WD	4.6L V-8 2V	6,000 (a4,i)
F-150 Reg. Cab LB 2WD	4.6L V-8 3V	8,000 (a6,f)
F-150 Reg. Cab LB 2WD	4.6L V-8 3V	8,400 (a6,h)
F-150 Reg. Cab LB 2WD	5.4L V-8	8,000 (a6,c)
F-150 Reg. Cab LB 2WD	5.4L V-8	9,800 (a6,h)
F-150 Reg. Cab LB 2WD	5.4L V-8	11,300 (a6,i)
F-150 Reg. Cab SB 4WD	4.6L V-8 2V	5,700 (a4,i)
F-150 Reg. Cab SB 4WD	4.6L V-8 3V	7,700 (a6,h)
F-150 Reg. Cab SB 4WD	4.6L V-8 3V	8,000 (a6,i)
F-150 Reg. Cab SB 4WD	5.4L V-8	7,700 (a6,f)
F-150 Reg. Cab SB 4WD	5.4L V-8	8,600 (a6,h/i)
F-150 Reg. Cab LB 4WD	4.6L V-8 2V	5,800 (a4,i)
F-150 Reg. Cab LB 4WD	4.6L V-8 3V	7,700 (a6,h)
F-150 Reg. Cab LB 4WD	4.6L V-8 3V	8,200 (a6,i)
F-150 Reg. Cab LB 4WD	5.4L V-8	7,700 (a6,f)
F-150 Reg. Cab LB 4WD	5.4L V-8	9,500 (a6,h)
F-150 Reg. Cab LB 4WD	5.4L V-8	11,300 (a6,i,t)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 2V	5,300 (a4,h)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 2V	5,800 (a4,i)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 3V	8,100 (a6,f)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 3V	9,500 (a6,h)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	8,600 (a6,c)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	9,800 (a6,h)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	11,300 (a6,i,t)
F-150 SuperCab LB 2WD	5.4L V-8	11,300 (a6,i,t)
F-150 SuperCab Short Bed 4WD	5.4L V-8	6,000 (a6,k)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 2V	5,500 (a4,i)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 3V	7,900 (a6,h)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 3V	9,400 (a6,i)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	8,300 (a6,f)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	9,700 (a6,h)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	11,200 (a6,i,t)
F-150 SuperCab LB 4WD	5.4L V-8	11,100 (a6,s,z)
F-150 SuperCrew Cab Short Bed 2WD	4.6L V-8 2V	5,200 (a4,h)
F-150 SuperCrew Cab Short Bed 2WD	4.6L V-8 2V	5,700 (a4,i)
F-150 SuperCrew Cab Short Bed 2WD	4.6L V-8 3V	8,100 (a6,f)

F-150 SuperCrew Cab Short Bed 2WD	4.6L V-8 3V	9,400 (a6,h)
F-150 SuperCrew Cab Short Bed 2WD	5.4L V-8	8,500 (a6,c)
F-150 SuperCrew Cab Short Bed 2WD	5.4L V-8	9,800 (a6,h)
F-150 SuperCrew Cab H-D Edition 2WD	5.4L V-8	5,300 (a6,i)
F-150 SuperCrew Cab Short Bed 2WD	5.4L V-8	11,300 (a6,i)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 2V	5,100 (a4,h)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 2V	5,600 (a4,i)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 3V	8,000 (a6,f)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 3V	9,300 (a6,h)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	8,400 (a6,c)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	9,700 (a6,h)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	11,300 (a6,i,t)
F-150 SuperCrew Cab Short Bed 4WD	4.6L V-8 3V	7,700 (a6,h)
F-150 SuperCrew Cab Short Bed 4WD	4.6L V-8 3V	9,300 (a6,i)
F-150 SuperCrew Cab Short Bed 4WD	5.4L V-8	8,100 (a6,f)
F-150 SuperCrew Cab Short Bed 4WD	5.4L V-8	9,600 (a6,h)
F-150 SuperCrew H-D Edition 4WD	5.4L V-8	5,100 (a6,i)
F-150 SuperCrew Cab Short Bed 4WD	5.4L V-8	11,200 (a6,i,t)
F-150 SuperCrew Cab Std. Bed 4WD	4.6L V-8 3V	7,600 (a6,h)
F-150 SuperCrew Cab Std. Bed 4WD	4.6L V-8 3V	9,200 (a6,i)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	8,000 (a6,f)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	9,500 (a6,h)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	11,100 (a6,i,t)

F-250/F-350/F-450 Super Duty, Conventional Towing, Automatic Transmission*

*Models with 5.4-liter V-8 and manual transmission tow 1,000 pounds less.

F-250/350 Reg. Cab SRW 2WD	5.4L V-8	10,200 (i)
F-250/350 Reg. Cab SRW 2WD	5.4L V-8	12,200 (k)
F-250/350 Reg. Cab SRW 2WD	6.8L V-10	12,500 (k,l)
F-250/350 Reg. Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/350 Reg. Cab SRW 4WD	5.4L V-8	9,800 (i)
F-250/350 Reg. Cab SRW 4WD	5.4L V-8	11,800 (k)
F-250/350 Reg. Cab SRW 4WD	6.8L V-10	12,500 (k/l)
F-250/350 Reg. Cab SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Cab DRW 2WD	5.4L V-8	12,200 (k)
F-350 Reg. Cab DRW 2WD	6.8L V-10	15,000 (all)
F-350 Reg. Cab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 Reg. Cab DRW 4WD	5.4L V-8	11,800 (k)
F-350 Reg. Cab DRW 4WD	6.8L V-10	15,000 (all)
F-350 Reg. Cab DRW 4WD	6.4L V-8 TD	15,000 (all)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	10,000 (i)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	12,000 (k)
F-250/F350 SuperCab SRW 2WD	6.8L V-10	12,500 (all)
F-250/F350 SuperCab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	9,500 (i)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	11,500 (k)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	12,500 (all)
F-250/F350 SuperCab SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 SuperCab DRW 2WD	5.4L V-8	11,800 (k)
F-350 SuperCab DRW 2WD	6.8 V-10	15,000 (all)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 SuperCab DRW 4WD	5.4L V-8	11,400 (k)
F-350 SuperCab DRW 4WD	6.8 V-10	15,000 (all)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	15,000 (all)
F-250/350 CC SRW 2WD	5.4L V-8	9,700 (i)

F-250/350 CC SRW 2WD	5.4L V-8	11,700 (k)
F-250/350 CC SRW 2WD	6.8L V-10	12,500 (all)
F-250/350 CC SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/350 CC SRW 4WD	5.4L V-8	9,300 (i)
F-250/350 CC SRW 4WD	5.4L V-8	11,300 (k)
F-250/350 CC SRW 4WD	6.8L V-10	12,500 (all)
F-250/350 CC SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 CC DRW 2WD	5.4L V-8	11,600 (k)
F-350 CC DRW 2WD	6.8L V-10	15,000 (all)
F-350 CC DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 CC DRW 4WD	5.4L V-8	11,200 (k)
F-350 CC DRW 4WD	6.8L V-10	15,000 (all)
F-350 CC DRW 4WD	6.4L V-8 TD	15,000 (all)
F-450 DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 DRW 4WD	6.4L V-8 TD	16,000 (all)

F-250/F-350/F-450 Super Duty, Fifth-Wheel Towing, Automatic Transmission

F-250/F-350 Regular Cab SRW 2WD	5.4L V-8	10,200 (i)
F-250/F-350 Regular Cab SRW 2WD	5.4L V-8	12,200 (k)
F-250/F-350 Regular Cab SRW 2WD	6.8L V-10	15,000 (k)
F-250/F-350 Regular Cab SRW 2WD	6.8L V-10	16,500/16,900 (l)
F-250/F-350 Regular Cab SRW 2WD	6.4L V-8 TD	16,300 (f/h)
F-250/F-350 Regular Cab SRW 4WD	5.4L V-8	9,800 (i)
F-250/F-350 Regular Cab SRW 4WD	5.4L V-8	11,800 (k)
F-250/F-350 Regular Cab SRW 4WD	6.8L V-10	14,600 (k)
F-250/F-350 Regular Cab SRW 4WD	6.8L V-10	16,100/16,500 (l)
F-250/F-350 Regular Cab SRW 4WD	6.4L V-8 TD	15,800 (f/h)
F-350 Regular Cab DRW 2WD	5.4L V-8	12,200 (k)
F-350 Regular Cab DRW 2WD	6.8L V-10	16,600 (k)
F-350 Regular Cab DRW 2WD	6.4 V-8 TD	16,300 (i)
F-350 Regular Cab DRW 2WD	6.4 V-8 TD	18,800 (k,p)
F-350 Regular Cab DRW 4WD	5.4L V-8	11,800 (k)
F-350 Regular Cab DRW 4WD	6.8L V-10	16,100 (k)
F-350 Regular Cab DRW 4WD	6.4 V-8 TD	15,800 (i)
F-350 Regular Cab DRW 4WD	6.4 V-8 TD	18,300 (k,p)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	10,000 (i)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	12,000 (k)
F-250/F350 SuperCab SRW 2WD	6.8L V-10	14,800 (k)
F-250/F350 SuperCab SRW 2WD	6.8L V-10	16,300/16,700 (l)
F-250/F350 SuperCab SRW 2WD	6.4L V-8 TD	16,000 (f/h)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	9,500 (i)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	11,500 (k)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	14,400 (k)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	15,900/16,200 (l)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	15,500 (f/h)
F-350 SuperCab DRW 2WD	5.4L V-8	11,800 (k)
F-350 SuperCab DRW 2WD	6.8L V-10	16,200 (k)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	15,900 (i)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	18,400 (k,p)
F-350 SuperCab DRW 4WD	5.4L V-8	11,400 (k)
F-350 SuperCab DRW 4WD	6.8L V-10	15,800 (k)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	15,500 (i)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	18,000 (k,p)
F-250/F-350 CC SRW 2WD	5.4L V-8	9,700 (i)
F-250/F-350 CC SRW 2WD	5.4L V-8	11,700 (k)

F-250/F-350 CC SRW 2WD	6.8L V-10	14,600 (k)
F-250/F-350 CC SRW 2WD	6.8L V-10	16,100/16,400 (l)
F-250/F-350 CC SRW 2WD	6.4L V-8 TD	15,800 (f/h)
F-250/F-350 CC SRW 4WD	5.4L V-8	9,300 (i)
F-250/F-350 CC SRW 4WD	5.4L V-8	11,300 (k)
F-250/F-350 CC SRW 4WD	6.8L V-10	14,100 (k)
F-250/F-350 CC SRW 4WD	6.8L V-10	15,600/16,000 (l)
F-250/F-350 CC SRW 4WD	6.4L V-8 TD	15,300 (f/h)
F-350 CC DRW 2WD	5.4L V-8	11,600 (k)
F-350 CC DRW 2WD	6.8L V-10	16,000 (k)
F-350 CC DRW 2WD	6.4L V-8 TD	15,700 (i)
F-350 CC DRW 2WD	6.4L V-8 TD	18,200 (k,p)
F-350 CC DRW 4WD	5.4L V-8	11,200 (k)
F-350 CC DRW 4WD	6.8L V-10	15,500 (k)
F-350 CC DRW 4WD	6.4L V-8 TD	15,200 (i)
F-350 CC DRW 4WD	6.4L V-8 TD	17,700 (k,p)
F-450 CC DRW 2WD	6.4L V-8 TD	24,600 (l,t)
F-450 CC DRW 4WD	6.4L V-8 TD	24,200 (l,t)

F-250/F-350/F-450 Super Duty, Fifth-Wheel Towing, Manual Transmission

F-250/F-350 Reg. Cab SRW 2WD	5.4L V-8	9,200 (i)
F-250/F-350 Reg. Cab SRW 2WD	5.4L V-8	11,200 (k)
F-250/F-350 Reg. Cab SRW 2WD	6.8L V-10	14,000 (k)
F-250/F-350 Reg. Cab SRW 2WD	6.8L V-10	16,000 (l)
F-250/F-350 Reg. Cab SRW 4WD	5.4L V-8	8,800 (i)
F-250/F-350 Reg. Cab SRW 4WD	5.4L V-8	10,800 (k)
F-250/F-350 Reg. Cab SRW 4WD	6.8L V-10	13,600 (k)
F-250/F-350 Reg. Cab SRW 4WD	6.8L V-10	15,600 (l)
F-250/F-350 Reg. Cab SRW 4WD	6.4L V-8 TD	15,800 (h)
F-350 Reg. Cab DRW 4WD	6.4L V-8 TD	15,800 (i/k)
F-250/F-350 SuperCab SRW 4WD	5.4L V-8	8,500 (i)
F-250/F-350 SuperCab SRW 4WD	5.4L V-8	10,500 (k)
F-250/F-350 SuperCab SRW 4WD	6.8L V-10	13,400 (k)
F-250/F-350 SuperCab SRW 4WD	6.8L V-10	15,400 (l)
F-250/F-350 SuperCab SRW 4WD	6.4L V-8 TD	15,500 (h)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	15,500 (i/k)
F-250/F-350 CC SRW 4WD	5.4L V-8	8,300 (i)
F-250/F-350 CC SRW 4WD	5.4L V-8	10,300 (k)
F-250/F-350 CC SRW 4WD	6.8L V-10	13,100 (k)
F-250/F-350 CC SRW 4WD	6.8L V-10	15,100 (l)
F-250/F-350 CC SRW 4WD	6.4L V-8 TD	15,300 (h)
F-350 CC DRW 4WD	6.4L V-8 TD	15,200 (i/k)
F-450 CC DRW 4WD	6.4L V-8 TD	18,200 (l)

F-350/F-450/F-550 Super Duty Chassis Cab, Conventional Towing, Automatic Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	9,500 (i)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	11,500 (k)
F-350 Reg. Chassis Cab SRW 2WD	6.8 V-10	12,500 (all)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	9,100 (i)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	11,100 (k)
F-350 Reg. Chassis Cab SRW 4WD	6.8 V-10	12,500 (all)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	9,600 (i)

F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	11,600 (k)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	14,500 (k)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	15,000 (l)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (i/k)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	9,200 (j)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	11,200 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	14,100 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,000 (l)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,000 (i/k)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	9,200 (j)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	11,200 (k)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	12,500 (all)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	8,700 (j)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	10,700 (k)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	12,500 (all)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	12,500 (all)
F-350 Super Chassis Cab DRW 2WD	5.4L V-8	9,300 (j)
F-350 Super Chassis Cab DRW 2WD	5.4L V-8	11,300 (k)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	14,100 (k)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,000 (l)
F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (i/k)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	8,800 (j)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	10,800 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	13,700 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	15,000 (l)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	9,000 (j)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	11,000 (k)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	12,500 (k)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (j)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	8,500 (j)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	10,500 (k)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	12,500 (k)
F-350 Crew Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (j)
F-350 Crew Chassis Cab DRW 2WD	5.4L V-8	9,100 (j)
F-350 Crew Chassis Cab DRW 2WD	5.4L V-8	11,100 (k)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	14,000 (k)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,000 (l)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (i/k)

F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	8,600 (j)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	10,600 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	13,500 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	15,000 (l)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (i/k)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)

F-350/F-450/F-550 Super Duty Chassis Cab, Conventional Towing, Manual Transmission

F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	8,100 (j)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	10,600 (k)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	13,500 (k)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	15,000 (l)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (i/k)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	7,700 (j)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	10,200 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	13,100 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,000 (l)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,000 (k)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	7,300 (j)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	9,800 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	12,700 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	14,700 (l)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (i/k)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	7,100 (j)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	9,600 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	12,500 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	14,500 (l)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (i/k)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)

F-350/F-450/F-550 Super Duty Chassis Cab, Fifth-Wheel Towing, Automatic Transmission

F-350 Reg. Chassis Cab, SRW 2WD	5.4L V-8	9,500 (j)
---------------------------------	----------	-----------

F-350 Reg. Chassis Cab, SRW 2WD	5.4L V-8	11,500 (k)
F-350 Reg. Chassis Cab, SRW 2WD	6.8L V-10	14,400 (k)
F-350 Reg. Chassis Cab, SRW 2WD	6.4L V-8 TD	15,600 (i)
F-350 Reg. Chassis Cab, SRW 4WD	5.4L V-8	9,100 (i)
F-350 Reg. Chassis Cab, SRW 4WD	5.4L V-8	11,100 (k)
F-350 Reg. Chassis Cab, SRW 4WD	6.8L V-10	14,000 (k)
F-350 Reg. Chassis Cab, SRW 4WD	6.4L V-8 TD	15,100 (i)
F-350 Reg. Chassis Cab, DRW 2WD	5.4L V-8	9,600 (i)
F-350 Reg. Chassis Cab, DRW 2WD	5.4L V-8	11,600 (k)
F-350 Reg. Chassis Cab, DRW 2WD	6.8L V-10	14,500 (k)
F-350 Reg. Chassis Cab, DRW 2WD	6.4L V-8 TD	15,700 (i/k)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	9,200 (i)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	11,200 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	14,100 (k)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,600 (l)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,300 (i/k)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,400 (q/r)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,600 (l)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	21,600 (l,t)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (q/r)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,200 (l)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	21,200 (l,t)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,400 (q/r)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,600 (l)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	24,600 (q,t)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (q/r)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,200 (l)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	24,200 (q,t)

Manufacturer's note: Weights shown are for 141-inch wheelbase DRW models. For 165, 189 and 201-inch wheelbase models, weights may be somewhat less (200-400 pounds, depending on model).

F-350 Super Chassis Cab SRW 2WD	5.4L V-8	9,200 (i)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	11,200 (k)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	14,000 (k)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	15,100 (i)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	8,700 (i)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	10,700 (k)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	13,600 (k)
F-350 Super Chassis Cab SRW 4WD	6.4L V-8 TD	14,700 (i)
F-350 Super Chassis Cab DRW 2WD	5.4L V-8	9,300 (i)
F-350 Super Chassis Cab DRW 2WD	5.4L V-8	11,300 (k)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	14,100 (k)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,600 (l)
F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,300 (i/k)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	8,800 (i)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	10,800 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	13,700 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	15,200 (l)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (i/k)
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	18,000 (q/r)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,200 (l)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	21,200 (l,t)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (q/r)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (l)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	20,800 (l,t)

F-550 Super Chassis Cab DRW 2WD	6.8L V-10	18,000 (q/r)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,200 (l)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,100 (q)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	24,100 (q,t)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (q/r)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (l)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (q)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	23,800 (q,t)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	9,000 (i)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	11,000 (k)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	13,900 (k)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	15,000 (i)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	8,500 (i)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	10,500 (k)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	13,400 (k)
F-350 Crew Chassis Cab SRW 4WD	6.4L V-8 TD	14,500 (i)
F-350 Crew Chassis Cab DRW 2WD	5.4L V-8	9,100 (i)
F-350 Crew Chassis Cab DRW 2WD	5.4L V-8	11,100 (k)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	14,000 (k)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,500 (l)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,200 (i/k)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	8,600 (i)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	10,600 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	13,500 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	15,000 (l)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (i/k)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	17,800 (q/r)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	17,000 (l)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	21,000 (l,t)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (q/r)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (l)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	20,700 (l,t)
F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	17,900 (q/r)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	17,000 (l)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,900 (q)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	23,900 (q,t)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (q/r)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (l)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,500 (q)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	23,700 (q,t)

Manufacturer's note: Weights shown are for 176-inch wheelbase DRW models. For 200 inch wheelbase models, weight may be somewhat less (100-200 pounds, depending on model).

F-350/F-450/F-550 Super Duty Chassis Cab, Fifth-Wheel Towing, Manual Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	8,100 (i)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	10,600 (k)
F-350 Reg. Chassis Cab SRW 2WD	6.8L V-10	13,500 (k)
F-350 Reg. Chassis Cab SRW 2WD	6.8L V-10	15,500 (l)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	15,700 (i/k)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	7,700 (i)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	10,200 (k)
F-350 Reg. Chassis Cab SRW 4WD	6.8L V-10	13,100 (k/l)
F-350 Reg. Chassis Cab SRW 4WD	6.8L V-10	15,100 (l)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	15,300 (i/k)

F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,400 (q/r)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	17,600 (l)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	19,600 (q,t)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (q/r)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	17,200 (l)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	19,200 (q,t)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,400 (q/r)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	17,600 (q)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	19,600 (q,t)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (q/r)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	17,200 (q)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	19,200 (q,t)

Manufacturer's note: Weights shown are for 141-inch wheelbase DRW models. For 165, 189 and 201-inch wheelbase models, weights may be somewhat less (200-400 pounds, depending on model).

F-350 Super Chassis Cab DRW 4WD	5.4L V-8	7,300 (i)
F-350 Super Chassis Cab DRW 4WD	5.4L V-8	9,800 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	12,700 (k)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	14,700 (l)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (i/k)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (q/r)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (l)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	18,800 (q,t)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (q/r)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (q/r)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	7,100 (i)
F-350 Crew Chassis Cab DRW 4WD	5.4L V-8	9,600 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	12,500 (k)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	14,500 (l)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (i/k)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (q/r)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (l)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	18,700 (q,t)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (q,r)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,600 (q)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	18,600 (q,t)

Manufacturer's note: Weights shown are for 176-inch wheelbase DRW models. For 200-inch wheelbase models, weights may be somewhat less (100-200 pounds, depending on model).

HONDA

Odyssey	3.5L V-6	3,500
Pilot 2WD	3.5L V-6	3,500
Pilot 4WD	3.5L V-6	4,500
Ridgeline	3.5L V-6	5,000

HUMMER

H2	6.2L V-8	8,200
H2 SUT	6.2L V-8	8,200
H3	3.7L I-5	4,500 (a)
H3	3.7L I-5	3,000 (m)
H3 Alpha	5.3L V-8	6,000
H3T	3.7L I-5	4,400 (a)
H3T	3.7L I-5	2,900 (m)
H3T Alpha	5.3L V-8	5,900

HYUNDAI

Santa Fe 2WD	TBD	TBD
Santa Fe 2WD	TBD	TBD
Santa Fe 4WD	TBD	TBD
Santa Fe 4WD	TBD	TBD
Tucson	TBD	TBD
Veracruz (All)	3.8L V-6	3,500 (t)

INFINITI

QX56 2WD	5.6L V-8	9,000
QX56 AWD	5.6L V-8	8,900
FX35 AWD	3.5L V-6	2,000
FX50	5.0L V-8	3,500

JEEP

Commander 2WD	3.7L V-6	3,500
Commander 2WD	5.7L V-8	7,400
Commander 4WD	3.7L V-6	3,500
Commander 4WD	5.7L V-8	7,200
Grand Cherokee 2WD	3.7L V-6	3,500
Grand Cherokee 4WD	3.7L V-6	3,500
Grand Cherokee 2WD	5.7L V-8	7,400
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee SRT8	6.1L V-8	3,500
Liberty 2WD	3.7L V-6	5,000
Liberty 4WD	3.7L V-6	5,000
Patriot	2.4L I-4	2,000 (t)
Wrangler	3.8L V-6	2,000
Wrangler Unlimited	3.8L V-6	3,500
Wrangler Unlimited Rubicon	3.8L V-6	3,500

KIA

Borrego	3.8L V-6	5,000
Borrego	4.6L V-8	7,500
Sedona	3.8L V-6	3,500
Sportage	2.7L V-6	2,000

LAND ROVER

Land Rover LR2	3.2L I-6	3,500
Land Rover LR4	5.0L V-8	7,716
Range Rover	5.0L V-8	7,716
Range Rover Sport	All	7,716

LEXUS

RX 350	3.5L V-6	3,500
RX 400h (hybrid)	3.3L V-6	3,500
GX 470	4.7L V-8	6,500
LX 570	5.7L V-8	8,500

LINCOLN-MERCURY

Mariner	3.0L V-6	3,500 (t)
Mountaineer 2WD	4.0L V-6	3,500
Mountaineer 2WD	4.0L V-6	5,305 (t)
Mountaineer 4WD	All	3,500
Mountaineer 4WD	4.0L V-6	5,205 (t)
Mountaineer 2WD	4.6L V-8	7,115

Mountaineer AWD	All	3,500
Mountaineer AWD	4.0L V-6	5,000 (t)
Mountaineer AWD	4.6L V-8	7,040
MKT	All	2,000
MKT	All	4,500 (t)
MKX	All	2,000
MKX	All	3,500 (t)
Navigator 2WD	5.4L V-8	6,000
Navigator 2WD	5.4L V-8	9,200 (t)
Navigator L 2WD	5.4L V-8	6,000
Navigator L 2WD	5.4L V-8	8,700 (t)
Navigator 4WD	5.4L V-8	6,000
Navigator 4WD	5.4L V-8	8,700 (t)
Navigator L 4WD	5.4L V-8	6,000
Navigator L 4WD	5.4L V-8	8,500 (t)

MAZDA

CX7 (all)	2.3L I-4 TC	2,000
CX9 (all)	3.7L V-6	3,500
Tribute	3.0L V-6	3,500

MERCEDES-BENZ

G550	5.5L V-8	7,000
G55 AMG	5.4L V-8	7,000
GLK	3.5L V-6	3,500
GL320 BlueTEC	3.0L TD V-6	7,500
GL450	4.6L V-8	7,500
GL550	5.5L V-8	7,500
ML320 BlueTEC	3.0L TD V-6	7,200
ML350 2WD	3.5L V-6	4,600
ML350	3.5L V-6	7,200
ML450 Hybrid	3.5L V-6	5,000
ML550	5.5L V-8	7,200
ML63 AMG	6.3L V-8	7,200

MITSUBISHI

Outlander 2WD	3.0L V-6	2,000
Outlander 4WD	3.0L V-6	3,500
Endeavor	3.8L V-6	3,500

NISSAN

Armada 2WD	5.6L V-8	9,100
Armada 4WD	5.6L V-8	9,000
Frontier KC XE 2WD	2.5L I-4	3,500
Frontier KC SE, LE, Pro-4X 2WD	4.0L V-6	6,500
Frontier KC SE, LE, Pro-4X 4WD	4.0L V-6	6,300
Frontier CC SE, LE, Pro-4X 2WD	4.0L V-6	6,300
Frontier CC SE, LE, Pro-4X 4WD	4.0L V-6	6,100
Murano	3.5L V-6	3,500
Pathfinder	4.0L V-6	6,000
Pathfinder	5.6L V-8	7,000
Quest	3.5L V-6	3,500
Titan KC 2WD	5.6L V-8	9,500
Titan KC LB 2WD	5.6L V-8	9,400
Titan KC 4WD	5.6L V-8	9,400
Titan KC LB 4WD	5.6L V-8	9,200

Titan CC 2WD	5.6L V-8	9,400
Titan CC 4WD	5.6L V-8	9,400
Titan Long Bed CC 2WD	5.6L V-8	9,300
Titan Long Bed CC 4WD	5.6L V-8	9,100
Xterra	4.0L V-6	5,000

PORSCHE

Cayenne	All	7,716
---------	-----	-------

SAAB

9-3 (all)	All	3,500
-----------	-----	-------

SUBARU

Tribeca	3.6L H6	3,500 (t)
Forester	2.5L H4	2,400
Outback	2.5L H4	2,700
Outback	3.6R H6	3,000

SUZUKI

Equator Extended Cab	2.5L I-4	3,500
Equator Extended Cab	4.0L V-6	6,500
Equator CC 2WD	4.0L V-6	6,300
Equator CC 4WD	4.0L V-6	6,100
Grand Vitara	2.4L I-4	3,000
Grand Vitara	3.2L V-6	3,000
XL7	3.6L V-6	3,500

TOYOTA

4Runner 2WD	2.7L I-4	2,000
4Runner 4WD	4.0L V-6	5,000
FJ Cruiser (all)	4.0L V-6	5,000
Highlander 4WD	2.7L I-4	3,500 (t)
Highlander 2WD/4WD	3.5L V-6	2,000
Highlander 2WD/4WD	3.5L V-6	5,000 (t)
Highlander Hybrid	3.3L V-6	3,500
Land Cruiser	5.7L V-8	8,500
RAV4 2WD/4WD	3.5L V-6	2,000
RAV4 2WD/4WD	3.5L V-6	3,500 (t)
Sienna	3.5L V-6	3,500
Sequoia 2WD SR5	4.6L V-8	7,300
Sequoia 4WD SR5	4.6L V-8	7,000
Sequoia 2WD SR5	5.7L V-8	8,300
Sequoia 2WD SR5	5.7L V-8	10,000 (t)
Sequoia 2WD Ltd	5.7L V-8	8,200
Sequoia 2WD Ltd	5.7L V-8	9,500 (t)
Sequoia 2WD Platinum	5.7L V-8	8,100
Sequoia 2WD Platinum	5.7L V-8	9,100 (t)
Sequoia 4WD SR5	5.7L V-8	8,000
Sequoia 4WD SR5	5.7L V-8	9,600 (t)
Sequoia 4WD Ltd	5.7L V-8	7,900
Sequoia 4WD Ltd	5.7L V-8	9,100 (t)
Sequoia 2WD Platinum	5.7L V-8	7,800
Sequoia 2WD Platinum	5.7L V-8	8,800 (t)
Tacoma Reg. Cab 2WD/4WD	2.7L I-4	3,500
Tacoma Access Cab/X-Runner 2WD/4WD	2.7L I-4	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	5,000

Tacoma Access Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tacoma Double Cab 2WD/4WD	4.0L V-6	5,000
Tacoma Double Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tundra Reg. Cab SB	4.0L V-6	5,100
Tundra Reg. Cab LB 2WD	4.0L V-6	5,000
Tundra Double Cab SB 2WD	4.0L V-6	5,100
Tundra Double Cab LB 2WD	4.0L V-6	5,000
Tundra Reg. Cab SB 2WD	4.6L V-8	7,500
Tundra Reg. Cab SB 2WD	4.6L V-8	9,000 (t)
Tundra Reg. Cab SB 4WD	4.6L V-8	7,200
Tundra Reg. Cab SB 4WD	4.6L V-8	8,700 (t)
Tundra Reg. Cab LB 2WD	4.6L V-8	7,400
Tundra Reg. Cab LB 2WD	4.6L V-8	8,900 (t)
Tundra Reg. Cab LB 2WD	5.7L V-8	10,500 (t)
Tundra Reg. Cab LB 4WD	4.6L V-8	7,100
Tundra Reg. Cab LB 4WD	4.6L V-8	8,600 (t)
Tundra Reg. Cab LB 4WD	5.7L V-8	10,800 (t)
Tundra Double Cab SB 2WD	4.6L V-8	7,200
Tundra Double Cab SB 2WD	4.6L V-8	8,600 (t)
Tundra Double Cab SB 4WD	4.6L V-8	6,900
Tundra Double Cab SB 4WD	4.6L V-8	8,300 (t)
Tundra Double Cab Std. Bed 2WD	4.6L V-8	7,100
Tundra Double Cab Std. Bed 2WD	4.6L V-8	8,600 (t)
Tundra Double Cab LB 2WD	4.6L V-8	8,500
Tundra Double Cab Std. Bed 4WD	4.6L V-8	6,800

Tundra Double Cab Std. Bed 4WD	4.6L V-8	8,300 (t)
Tundra Double Cab LB 4WD	4.6L V-8	8,200
Tundra Reg. Cab 2WD	5.7L V-8	10,800
Tundra Reg. Cab 4WD	5.7L V-8	10,400
Tundra Double Cab 2WD	5.7L V-8	10,600
Tundra Double Cab 4WD	5.7L V-8	10,300
Tundra CrewMax 2WD	4.7L V-8	7,700 (t)
Tundra CrewMax 4WD	4.7L V-8	8,000 (t)
Tundra CrewMax 2WD	5.7L V-8	10,400
Tundra CrewMax 4WD	5.7L V-8	10,100

VOLKSWAGEN

Tiguan	2.0L I-4TC	2,200
Touareg	All	7,716

VOLVO

C30	2.5L I-5TC	2,000
S40	All	2,000
S80	All	3,300
V50	All	2,000
V70	3.2L I-6	3,300
XC60	All	3,300
XC70	All	3,300
XC90 FWD	3.2L V-6	3,970
XC90 AWD	4.4L V-8	4,960

A Smooth Air-Ride 5th Wheel Hitch in an easy to remove package

HENSLEY

Introducing!



BD3 5th Wheel Hitch

- Eliminates 97% of road shock
- Solid Holland-Binkley style head
- 1 1/8" thick jaws that completely encircle the kingpin
- Assembles in two pieces for easy installation and removal
- Fits standard rails



Call 1-800-410-6580 for more information

HENSLEY

800.410.6580 • www.TrailerSaver.com

Hensley Manufacturing Inc., go to www.trailerlife.com/info