

800 NEW VEHICLE LISTINGS

2015

GUIDE TO TOWING



SELECTING A TOW VEHICLE

TOWING TIPS • HITCHING BASICS

TRAILER-BRAKE CONTROLLERS

A Supplement to
**TRAILER
LIFE**

2015 TOW RATINGS

KEY TO CHARTS

a6=Automatic transmission, six speeds
a8=Automatic transmission, eight speeds
m6=Manual transmission, six speeds

p=Cooling or other accessory package required
t=Towing package required

Forward slash (/) denotes either/or.

Comma (,) indicates more than one footnote applies.

b=3.08:1
c=3.15:1
d=3.21:1
e=3.23:1
f=3.31:1
g=3.42:1
h=3.55:1
i=3.73:1

j=3.92:1
k=4.10:1
l=4.30:1
n=4.44:1
o=4.56:1
q=4.88:1
r=5.38:1

AWD=All-Wheel Drive
FWD=Front-Wheel Drive
RWD=Rear-Wheel Drive
CC=Crew Cab
KC=King Cab
DC=Double Cab
SB=Shortbed
Std Bed=Standard Bed
LB=Longbed
SWB=Short Wheelbase
MWB=Medium Wheelbase
LWB=Long Wheelbase
EL=Extra Length

LR=Low Roof
MR=Medium Roof
HR=High Roof
EHR=Extra High Roof
DRW=Dual Rear Wheels
SRW=Single Rear Wheels
CV=Cargo Van
PV=Passenger Van
TD=Turbo Diesel
TC=Turbocharged
SC=Supercharged
NA=Not Available or Not Applicable

VEHICLE ENGINE TOW LIMIT (lbs)

ACURA		
MDX	3.5L V-6	3,500
MDX SH-AWD	3.5L V-6	3,500*

*Towing capacity can be increased to 5,000 lbs. with dealer-installed accessory.

AUDI		
Q5	All	4,000
Q7	All	5,500*
Q7	All	6,600 (t)

*With dealer-installed hitch.

BMW		
X3 28d	2.0L I-4 TD	3,500
X3 28i	2.0L I-4 TC	3,500
X3 35i	3.0L I-6 TC	6,000
X4 28i	2.0L I-4 TC	3,500
X4 35i	3.0L I-6 TC	6,000
X5 35d	3.0L I-6 TC	6,000
X5 35i	3.0L I-6 TD	6,000
X5 50i	4.4L V-8 TC	6,000
X6 35i	3.0L I-6 TC	6,000
X6 50i	4.4L V-8 TC	6,000

BUICK		
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)
Enclave AWD	3.6L V-6	2,000
Enclave AWD	3.6L V-6	4,500 (t)

CADILLAC		
Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV AWD	6.2L V-8	7,900
SRX FWD	3.6L V-6	3,500 (t)
SRX AWD	3.6L V-6	3,500 (t)

CHEVROLET/GMC		
Equinox/Terrain FWD/AWD	3.6L V-6	3,500 (t)
Express/Savana 2500 SWB CV	4.8L V-8	7,400
Express/Savana 2500 SWB CV	6.0L V-8	10,000
Express/Savana 2500 SWB CV	6.6L V-8 TD	10,000
Express/Savana 2500 LWB CV	4.8L V-8	7,200
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	6.6L V-8 TD	10,000
Express/Savana 2500 SWB PV	6.0L V-8	6,700
Express/Savana 2500 SWB PV	6.0L V-8	9,800
Express/Savana 3500 SWB CV	4.8L V-8	7,400
Express/Savana 3500 SWB CV	6.0L V-8	10,000
Express/Savana 3500 SWB CV	6.6L V-8 TD	10,000
Express/Savana 3500 SWB PV	6.0L V-8	9,700
Express/Savana 3500 SWB PV	6.6L V-8 TD	10,000
Express/Savana 3500 LWB CV	4.8L V-8	7,100
Express/Savana 3500 LWB CV	6.0L V-8	10,000
Express/Savana 3500 LWB CV	6.6L V-8 TD	10,000
Express/Savana 3500 LWB PV	6.0L V-8	9,300
Express/Savana 3500 LWB PV	6.6L V-8 TD	9,700
Traverse/Acadia FWD	3.6L V-6	2,000

Traverse/Acadia FWD	3.6L V-6	5,200 (t)
Traverse/Acadia AWD	3.6L V-6	2,000
Traverse/Acadia AWD	3.6L V-6	5,200 (t)

COLORADO/CANYON

All models	2.5L I-4	3,500
All models	3.6L V-6	3,500
All models	3.6L V-6	7,000 (t)

SILVERADO/SIERRA 1500 REGULAR CAB

1500 Std Bed 2WD	4.3L V-6	6,100 (e)
1500 Std Bed 2WD	5.3L V-8	7,000 (b)
1500 Std Bed 2WD	5.3L V-8	9,000 (g)
1500 Std Bed 4WD	4.3L V-6	7,600 (g)
1500 Std Bed 4WD	5.3L V-8	6,700 (b)
1500 Std Bed 4WD	5.3L V-8	8,700 (g)
1500 LB 2WD	4.3L V-6	5,900 (e)
1500 LB 2WD	5.3L V-8	6,800 (b)
1500 LB 2WD	5.3L V-8	9,800 (g)
1500 LB 4WD	4.3L V-6	7,400 (g)
1500 LB 4WD	5.3L V-8	6,500 (b)
1500 LB 4WD	5.3L V-8	9,500 (g)

SILVERADO/SIERRA 1500 DOUBLE CAB

1500 2WD	4.3L V-6	5,600 (g)
1500 2WD	5.3L V-8	6,500 (b)
1500 2WD	5.3L V-8	9,500 (g)
1500 2WD	5.3L V-8	11,200 (i,t)
1500 2WD	6.2L V-8	9,500 (e)
1500 2WD	6.2L V-8	12,000 (g,t)
1500 4WD	4.3L V-6	7,200 (g)
1500 4WD	5.3L V-8	6,200 (b)
1500 4WD	5.3L V-8	9,200 (g)
1500 4WD	5.3L V-8	11,000 (i,t)
1500 4WD	6.2L V-8	9,200 (g)
1500 4WD	6.2L V-8	11,900 (g,t)

SILVERADO/SIERRA 1500 CREW CAB

1500 SB 2WD	4.3L V-6	5,600 (e)
1500 SB 2WD	5.3L V-8	6,400 (b)
1500 SB 2WD	5.3L V-8	9,400 (g)
1500 SB 2WD	5.3L V-8	11,000 (i,t)
1500 SB 2WD	6.2L V-8	9,400 (e)
1500 SB 2WD	6.2L V-8	11,900 (g,t)
1500 SB 4WD	4.3L V-6	7,100 (g)

1500 SB 4WD	5.3L V-8	6,200 (b)
1500 SB 4WD	5.3L V-8	9,200 (g)
1500 SB 4WD	5.3L V-8	10,900 (i,t)
1500 SB 4WD	6.2L V-8	9,200 (g)
1500 SB 4WD	6.2L V-8	11,800 (g,t)
1500 Std Bed 2WD	4.3L V-6	5,500 (e)
1500 Std Bed 2WD	5.3L V-8	6,400 (b)
1500 Std Bed 2WD	5.3L V-8	9,400 (g)
1500 Std Bed 2WD	5.3L V-8	11,000 (i,t)
1500 Std Bed 2WD	6.2L V-8	9,300 (e)
1500 Std Bed 2WD	6.2L V-8	11,900 (g,t)
1500 Std Bed 4WD	4.3L V-6	7,000 (g)
1500 Std Bed 4WD	5.3L V-8	6,100 (b)
1500 Std Bed 4WD	5.3L V-8	9,100 (g)
1500 Std Bed 4WD	5.3L V-8	10,800 (i,t)
1500 Std Bed 4WD	6.2L V-8	9,200 (e)
1500 Std Bed 4WD	6.2L V-8	11,700 (g,t)

SILVERADO/SIERRA 2500 REGULAR CAB

CONVENTIONAL/FIFTH-WHEEL TOWING		
2500 LB 2WD	6.0L V-8	13,000/14,800 (k)
2500 LB 2WD	6.6L V-8 TD	13,000/17,900 (i)
2500 LB 4WD	6.0L V-8	13,000/14,500 (k)
2500 LB 4WD	6.6L V-8 TD	13,000/17,600 (i)

SILVERADO/SIERRA 2500 DOUBLE CAB

CONVENTIONAL/FIFTH-WHEEL TOWING		
2500 Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
2500 Std Bed 2WD	6.6L V-8 TD	13,000/17,600 (i)
2500 Std Bed 4WD	6.0L V-8	13,000/14,200 (k)
2500 Std Bed 4WD	6.6L V-8 TD	13,000/17,300 (i)
2500 LB 2WD	6.0L V-8	13,000/14,400 (k)
2500 LB 2WD	6.6L V-8 TD	13,000/17,500 (i)
2500 LB 4WD	6.0L V-8	13,000/14,100 (k)
2500 LB 4WD	6.6L V-8 TD	13,000/17,200 (i)

SILVERADO/SIERRA 2500 CREW CAB

CONVENTIONAL/FIFTH-WHEEL TOWING*		
2500 Std Bed 2WD	6.0L V-8	9,800 (i)
2500 Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 Std Bed 2WD	6.6L V-8 TD	13,000/14,300 (i)
2500 Std Bed 4WD	6.0L V-8	9,500 (i)
2500 Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 Std Bed 4WD	6.6L V-8 TD	13,000/14,000 (i)

* Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

2015 TOW RATINGS

SILVERADO/SIERRA 3500 REGULAR CAB CONVENTIONAL/FIFTH-WHEEL TOWING

3500 SRW 2WD	6.0L V-8	13,000/14,600 (k)
3500 SRW 4WD	6.0L V-8	14,100/14,300 (k)
3500 SRW 4WD	6.6L V-8 TD	13,000/17,500 (i)
3500 DRW 2WD	6.0L V-8	14,200 (k)
3500 DRW 4WD	6.0L V-8	13,900 (k)
3500 DRW 4WD	6.6L V-8 TD	16,000/23,200 (i)

SILVERADO/SIERRA 3500 DOUBLE CAB CONVENTIONAL/FIFTH-WHEEL TOWING

3500 LB SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 LB SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 LB SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 LB SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 LB DRW 2WD	6.0L V-8	13,800 (k)
3500 LB DRW 2WD	6.6L V-8 TD	16,500/23,000 (i)
3500 LB DRW 4WD	6.0L V-8	13,500 (k)
3500 LB DRW 4WD	6.6L V-8 TD	18,000/22,800 (i)

SILVERADO/SIERRA 3500 CREW CAB CONVENTIONAL/FIFTH-WHEEL TOWING*

3500 Std Bed SRW 2WD	6.0L V-8	13,000/14,100 (k)
3500 Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,400 (i)
3500 Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,100 (i)
3500 LB SRW 2WD	6.0L V-8	13,000/14,000 (k)
3500 LB SRW 2WD	6.6L V-8 TD	13,000/17,300 (i)
3500 LB SRW 4WD	6.0L V-8	13,000/13,700 (k)
3500 LB SRW 4WD	6.6L V-8 TD	15,000/16,900 (i)
3500 LB DRW 2WD	6.0L V-8	13,700 (k)
3500 LB DRW 2WD	6.6L V-8 TD	16,500/22,900 (i)
3500 LB DRW 4WD	6.0L V-8	13,300 (k)
3500 LB DRW 4WD	6.6L V-8 TD	19,600/22,600 (i)

* Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

TAHOE, SUBURBAN, YUKON/YUKON XL, YUKON/YUKON XL DENALI 1500 SERIES

Tahoe/Yukon 2WD	5.3L V-8	6,600/6,500 (b)
Tahoe/Yukon 2WD	5.3L V-8	8,600/8,500 (g)
Tahoe/Yukon 4WD	5.3L V-8	6,400/6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,400/8,200 (g)
Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g)

Yukon Denali 2WD	6.2L V-8	8,400
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	8,100
Yukon XL Denali AWD	6.2L V-8	7,900

CHRYSLER

Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD	3.6L V-6	2,500 (t)
Dodge Journey AWD	3.6L V-6	2,500 (t)
Chrysler Town & Country	3.6L V-6	3,600 (t)
Dodge Durango RWD	3.6L V-6	6,200
Dodge Durango RWD	5.7L V-8	7,400
Dodge Durango AWD	3.6L V-6	6,200
Dodge Durango AWD	5.7L V-8	7,200

FORD

EDGE, ESCAPE, EXPEDITION, EXPLORER, FLEX

Edge	3.5L V-6	3,500 (t)
Edge	3.7L V-6	2,000*
Escape	1.6L TC	2,000
Escape	2.0L TC	3,500 (t)
Expedition 2WD	3.5L V-6 TC	6,600
Expedition 2WD	3.5L V-6 TC	9,200 (t)
Expedition 4WD	3.5L V-6 TC	6,600
Expedition 4WD	3.5L V-6 TC	9,000 (t)
Expedition EL 2WD	3.5L V-6 TC	6,600
Expedition EL 2WD	3.5L V-6 TC	9,200 (t)
Expedition EL 4WD	3.5L V-6 TC	6,600
Expedition EL 4WD	3.5L V-6 TC	9,100 (t)
Explorer	2.0L TC	2,000
Explorer	3.5L V-6	2,000
Explorer	3.5L V-6	5,000 (t)
Flex	All	4,500 (t)

* Sport model.

F-150 REGULAR CAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 SB 2WD	3.5L V-6	5,100/5,000 (h)
F-150 SB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 SB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SB 2WD	2.7L V-6 TC	8,500/8,200 (i)
F-150 SB 2WD	5.0L V-8	8,400/8,300 (f)
F-150 SB 2WD	5.0L V-8	9,200/9,100 (h)
F-150 SB 4WD	3.5L V-6	7,500/7,400 (i)
F-150 SB 4WD	2.7L V-6 TC	7,600/7,400 (h)
F-150 SB 4WD	2.7L V-6 TC	8,400/7,600 (i)
F-150 SB 4WD	5.0L V-8	8,300/8,200 (f/i)
F-150 SB 4WD	5.0L V-8	9,700/9,300 (i)

F-150 LB 2WD	3.5L V-6	5,100/5,000 (h)
F-150 LB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 LB 2WD	2.7L V-6 TC	8,500/8,400 (i)*
F-150 LB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 LB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 LB 2WD	5.0L V-8	11,100/11,000 (i)
F-150 LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 LB 2WD	3.5L V-6 TC	12,200/12,100 (h)
F-150 LB 4WD	3.5L V-6	7,400/7,300 (i)
F-150 LB 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 LB 4WD	2.7L V-6 TC	8,400/8,300 (i)*
F-150 LB 4WD	5.0L V-8	9,100/9,000 f/h
F-150 LB 4WD	5.0L V-8	11,100/11,000 (i)**
F-150 LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h)
F-150 LB 4WD	3.5L V-6 TC	12,000/11,900 (h)

**F-150 SUPERCAB
CONVENTIONAL/FIFTH-WHEEL TOWING**

F-150 Std Bed 2WD	3.5L V-6	5,100/5,000 (h)
F-150 Std Bed 2WD	3.5L V-6	7,400/7,300 (i)
F-150 Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i)*
F-150 Std Bed 2WD	5.0L V-8	9,200/9,100 (f)
F-150 Std Bed 2WD	5.0L V-8	10,200/10,100 (h)
F-150 Std Bed 2WD	3.5L V-6 TC	10,800/10,600 (c)
F-150 Std Bed 2WD	3.5L V-6 TC	12,100/10,600 (h)
F-150 Std Bed 4WD	3.5L V-6	7,200/7,100 (i)
F-150 Std Bed 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 Std Bed 4WD	2.7L V-6 TC	8,200/8,000 (i)
F-150 Std Bed 4WD	5.0L V-8	9,100/9,000 (f)
F-150 Std Bed 4WD	5.0L V-8	9,200/9,100 (h)
F-150 Std Bed 4WD	5.0L V-8	11,000/10,800 (i)
F-150 Std Bed 4WD	3.5L V-6 TC	10,700/10,500 (f/h)
F-150 Std Bed 4WD	3.5L V-6 TC	11,800/10,500 (h)
F-150 Raptor 4WD	6.2L V-8	6,000
F-150 LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 LB 2WD	2.7L V-6 TC	8,200/8,100 (i)*
F-150 LB 2WD	5.0L V-8	9,200/9,100 (f)
F-150 LB 2WD	5.0L V-8	10,200/10,100 (h)
F-150 LB 2WD	5.0L V-8	11,000/10,900 (i)
F-150 LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 LB 2WD	3.5L V-6 TC	11,900/11,800 (h)
F-150 LB 4WD	5.0L V-8	9,000/8,900 (f)
F-150 LB 4WD	5.0L V-8	9,100/9,000 (h)
F-150 LB 4WD	5.0L V-8	10,900/10,700 (i)*
F-150 LB 4WD	3.5L V-6 TC	10,800/10,500 (f/h)
F-150 LB 4WD	3.5L V-6 TC	11,700/10,500 (h)
F-150 LB 4WD	3.5L V-6 TC	11,600 (i)

**F-150 SUPERCREW CAB
CONVENTIONAL/FIFTH-WHEEL TOWING**

F-150 SB 2WD	3.5L V-6	7,300/7,200 (i)
F-150 SB 2WD	2.7L V-6 TC	7,600/7,400 (f)
F-150 SB 2WD	2.7L V-6 TC	8,200/8,100 (i)
F-150 SB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 SB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SB 2WD	3.5L V-6 TC	10,700/10,200 (c)
F-150 SB 2WD	3.5L V-6 TC	11,900(h)/NA
F-150 SB 4WD	3.5L V-6	7,100/7,000 (i)
F-150 SB 4WD	2.7L V-6 TC	7,600/7,300 (h)
F-150 SB 4WD	2.7L V-6 TC	8,100/7,900 (i)*
F-150 SB 4WD	5.0L V-8	9,000/8,900 (f)
F-150 SB 4WD	5.0L V-8	9,100/9,000 (h)
F-150 SB 4WD	5.0L V-8	10,900/10,300 (i)
F-150 SB 4WD	3.5L V-6 TC	10,700/9,900 (f/h)
F-150 SB 4WD	3.5L V-6 TC	11,500/9,900 (h)
F-150 Raptor	6.2L V-8	8,000
F-150 Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (i)
F-150 Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (h)*
F-150 Std Bed 2WD	5.0L V-8	9,100/9,000 (f)
F-150 Std Bed 2WD	5.0L V-8	10,100/10,000 (h)
F-150 Std Bed 2WD	5.0L V-8	10,900/10,800 (i)
F-150 Std Bed 2WD	3.5L V-6 TC	10,700/10,400 (c)
F-150 Std Bed 2WD	3.5L V-6 TC	11,900/11,700 (h)
F-150 Std Bed 4WD	5.0L V-8	8,900/8,800 (f)
F-150 Std Bed 4WD	5.0L V-8	9,100/9,000 (h)
F-150 Std Bed 4WD	5.0L V-8	10,800/10,600 (i)
F-150 Std Bed 4WD	3.5L V-6 TC	10,700/10,100 (f/h)
F-150 Std Bed 4WD	3.5L V-6 TC	11,700/11,400 (i)**

NOTE: F-150 ratings may change slightly depending on the wheel and tire package and other factors. See dealer for details.

** Requires mid-payload upgrade package.*

*** Requires heavy-duty payload package.*

F-250/F-350/F-450 SUPER DUTY, CONVENTIONAL TOWING

F-250/350 Reg Cab SRW 2WD	6.2L V-8	12,500 (All)
F-250/350 Reg Cab SRW 2WD	6.7L V-8 TD	12,500 (All)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,400 (i)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,500 (l)
F-250/350 Reg Cab SRW 4WD	6.7L V-8 TD	12,500 (All)
F-350 Reg Cab DRW 2WD	6.2L V-8	12,900 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	15,900 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	19,000 (All)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,400 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	15,400 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	19,000 (All)
F-250/F350 SuperCab SRW 2WD	6.2L V-8	12,500 (All)

2015 TOW RATINGS

F-250/F350 SuperCab SRW 2WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab SRW 4WD	6.2L V-8	12,100 (i)
F-250 SuperCab SRW 4WD	6.2L V-8	12,200 (i)	F-350 SuperCab SRW 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SRW 4WD	6.2L V-8	12,500 (l)	F-350 SuperCab SRW 4WD	6.7L V-8 TD	15,900 (f/h)
F-250 SuperCab SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab DRW 2WD	6.2L V-8	12,400 (i)
F-350 SuperCab SRW 4WD	6.2L V-8	12,200 (i)	F-350 SuperCab DRW 2WD	6.2L V-8	15,400 (l)
F-350 SuperCab SRW 4WD	6.2L V-8	12,500 (l)	F-350 SuperCab DRW 2WD	6.7L V-8 TD	24,000 (i)
F-350 SuperCab SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab DRW 4WD	6.2L V-8	11,900 (i)
F-350 SuperCab DRW 2WD	6.2L V-8	12,500 (i)	F-350 SuperCab DRW 4WD	6.2L V-8	14,900 (l)
F-350 SuperCab DRW 2WD	6.2L V-8	15,500 (l)	F-350 SuperCab DRW 4WD	6.7L V-8 TD	23,600 (i)
F-350 SuperCab DRW 2WD	6.7L V-8 TD	19,000 (All)	F-250/F-350 CC SRW 2WD	6.2L V-8	12,200 (i)
F-350 SuperCab DRW 4WD	6.2L V-8	12,100 (i)	F-250/F-350 CC SRW 2WD	6.2L V-8	15,200 (l)
F-350 SuperCab DRW 4WD	6.2L V-8	15,100 (l)	F-250/F-350 CC SRW 2WD	6.7L V-8 TD	16,100 (f/h)
F-350 SuperCab DRW 4WD	6.7L V-8 TD	19,000 (All)	F-250 CC SRW 4WD	6.2L V-8	11,900 (i)
F-250/350 CC SRW 2WD	6.2L V-8	12,400 (i)	F-250 CC SRW 4WD	6.2L V-8	14,900 (l)
F-250/350 CC SRW 2WD	6.2L V-8	12,500 (l)	F-250 CC SRW 4WD	6.7L V-8 TD	15,100 (f/h)
F-250/350 CC SRW 2WD	6.7L V-8 TD	14,000 (All)	F-350 CC SRW 4WD	6.2L V-8	11,800 (i)
F-250 CC SRW 4WD	6.2L V-8	12,000 (i)	F-350 CC SRW 4WD	6.2L V-8	14,800 (l)
F-250 CC SRW 4WD	6.2L V-8	12,500 (l)	F-350 CC SRW 4WD	6.7L V-8 TD	15,700 (f/h)
F-250 CC SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 CC DRW 2WD	6.2L V-8	12,100 (i)
F-350 CC SRW 4WD	6.2L V-8	12,100 (i)	F-350 CC DRW 2WD	6.2L V-8	15,100 (l)
F-350 CC SRW 4WD	6.2L V-8	12,500 (l)	F-350 CC DRW 2WD	6.7L V-8 TD	23,800 (i)
F-350 CC SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 CC DRW 4WD	6.2L V-8	11,700 (i)
F-350 CC DRW 2WD	6.2L V-8	12,200 (i)	F-350 CC DRW 4WD	6.2L V-8	14,700 (l)
F-350 CC DRW 2WD	6.2L V-8	15,200 (l)	F-350 CC DRW 4WD	6.7L V-8 TD	23,000 (i)
F-350 CC DRW 2WD	6.7L V-8 TD	19,500 (All)	F-350 CC DRW 4WD	6.7L V-8 TD	26,500 (i)
F-350 CC DRW 4WD	6.2L V-8	11,800 (i)	F-450 CC DRW 4WD	6.7L V-8 TD	26,500 (l)
F-350 CC DRW 4WD	6.2L V-8	14,800 (l)			
F-350 CC DRW 4WD	6.7L V-8 TD	19,000 (All)			
F-450 DRW 4WD	6.7L V-8 TD	19,000 (All)			

TRANSIT VAN T-150/T-250/T-350

T-150/250 MWB LR	3.7L V-6	5,300 (i)	T-150/250 MWB LR	3.7L V-6	6,600 (k)
T-150/250 MWB LR	3.7L V-6	6,600 (k)	T-150/250 MWB LR	3.5L V-6 TC	5,600 (f)
T-150/250 MWB LR	3.5L V-6 TC	5,600 (f)	T-150/250 MWB LR	3.5L V-6 TC	7,000 (i)
T-150/250 MWB LR	3.5L V-6 TC	7,000 (i)	T-150/250 MWB LR	3.2L I-5 TD	4,700 (f)
T-150/250 MWB LR	3.2L I-5 TD	4,700 (f)	T-150/250 MWB LR	3.2L I-5 TD	7,500 (i)
T-150/250 MWB LR	3.2L I-5 TD	7,500 (i)	T-150/250 MWB MR	3.7L V-6	5,200 (i)
T-150/250 MWB MR	3.7L V-6	5,200 (i)	T-150/250 MWB MR	3.7L V-6	6,600 (k)
T-150/250 MWB MR	3.7L V-6	6,600 (k)	T-150/250 MWB MR	3.5L V-6 TC	5,600 (f)
T-150/250 MWB MR	3.5L V-6 TC	5,600 (f)	T-150/250 MWB MR	3.5L V-6 TC	7,000 (i)
T-150/250 MWB MR	3.5L V-6 TC	7,000 (i)	T-150/250 MWB MR	3.2L I-5 TD	4,600 (f)
T-150/250 MWB MR	3.2L I-5 TD	4,600 (f)	T-150/250 MWB MR	3.2L I-5 TD	7,500 (i)
T-150/250 MWB MR	3.2L I-5 TD	7,500 (i)	T-150/250 LWB LR	3.7L V-6	5,200 (i)
T-150/250 LWB LR	3.7L V-6	5,200 (i)	T-150/250 LWB LR	3.7L V-6	6,500 (k)
T-150/250 LWB LR	3.7L V-6	6,500 (k)	T-150/250 LWB LR	3.5L V-6 TC	5,500 (f)
T-150/250 LWB LR	3.5L V-6 TC	5,500 (f)	T-150/250 LWB LR	3.5L V-6 TC	6,900 (i)
T-150/250 LWB LR	3.5L V-6 TC	6,900 (i)	T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)
T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)	T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)
T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)	T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)
T-150/250 LWB MR	3.7L V-6	5,100 (i)	T-150/250 LWB MR	3.7L V-6	6,400 (k)
T-150/250 LWB MR	3.7L V-6	6,400 (k)	T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)
T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)	T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)
T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)			

F-250/F-350/F-450 SUPER DUTY, FIFTH-WHEEL TOWING

F-250/350 Reg Cab SRW 2WD	6.2L V-8	12,700 (i)
F-250/350 Reg Cab SRW 2WD	6.2L V-8	15,700 (l)
F-250/350 Reg Cab SRW 2WD	6.7L V-8 TD	16,600 (f/h)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,300 (i)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	15,300 (l)
F-250/350 Reg Cab SRW 4WD	6.7L V-8 TD	16,200 (f/h)
F-350 Reg Cab DRW 2WD	6.2L V-8	12,800 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	15,800 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	24,500 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,300 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	15,300 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	24,100 (i)
F-250/F-350 SuperCab SRW 2WD	6.2L V-8	12,500 (i)
F-250/F-350 SuperCab SRW 2WD	6.2L V-8	15,500 (l)
F-250/F-350 SuperCab SRW 2WD	6.7L V-8 TD	16,300 (f/h)
F-250 SuperCab SRW 4WD	6.2L V-8	12,100 (i)
F-250 SuperCab SRW 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SRW 4WD	6.7L V-8 TD	15,900 (f/h)

T-150/250 LWB MR	3.2L I-5 TD	4,600 (f)
T-150/250 LWB MR	3.2L I-5 TD	7,500 (i)
T-250 LWB HR	3.7L V-6	5,000 (i)
T-250 LWB HR	3.7L V-6	6,300 (k)
T-250 LWB HR	3.5L V-6 TC	5,300 (f)
T-250 LWB HR	3.5L V-6 TC	6,700 (i)
T-250 LWB HR	3.2L I-5 TD	4,400 (f)
T-250 LWB HR	3.2L I-5 TD	7,300 (i)
T-350 LWB LR	3.7L V-6	5,200 (i)
T-350 LWB LR	3.7L V-6	6,500 (k)
T-350 LWB LR	3.5L V-6 TC	5,500 (f)
T-350 LWB LR	3.5L V-6 TC	6,900 (i)
T-350 LWB MR	3.7L V-6	5,100 (i)
T-350 LWB MR	3.7L V-6	6,400 (k)
T-350 LWB MR	3.5L V-6 TC	5,400 (f)
T-350 LWB MR	3.5L V-6 TC	6,800 (i)
T-350 LWB HR	3.7L V-6	5,000 (i)
T-350 LWB HR	3.7L V-6	6,300 (k)
T-350 LWB HR	3.5L V-6 TC	5,300 (f)
T-350 LWB HR	3.5L V-6 TC	6,700 (i)
T-250 LWB EL HR	3.7L V-6	4,800 (i)
T-250 LWB EL HR	3.7L V-6	6,100 (k)
T-250 LWB EL HR	3.5L V-6 TC	5,100 (f)
T-250 LWB EL HR	3.5L V-6 TC	6,500 (i)
T-250 LWB EL HR	3.2L I-5 TD	4,200 (f)
T-250 LWB EL HR	3.2L I-5 TD	7,100 (i)
T-350 LWB EL HR	3.7L V-6	4,800 (i)
T-350 LWB EL HR	3.7L V-6	6,100 (k)
T-350 LWB EL HR	3.5L V-6 TC	5,100 (f)
T-350 LWB EL HR	3.5L V-6 TC	6,500 (i)
T-350 LWB EL HR	3.5L V-6 TC	6,700 (i)
T-350 LWB EL HR	3.2L I-5 TD	4,000 (f)
T-350 LWB EL HR	3.2L I-5 TD	6,900 (i)

TRANSIT WAGON T-150/T-350

T-150 MWB LR	3.7L V-6	4,700 (i)
T-150 MWB LR	3.7L V-6	5,100 (k)
T-150 MWB LR	3.5L V-6 TC	5,000 (f/i)
T-150 MWB MR	3.7L V-6	4,600 (i)
T-150 MWB MR	3.7L V-6	5,000 (k)
T-150 MWB MR	3.5L V-6 TC	5,000 (f/i)
T-350 LWB LR	3.7L V-6	4,200 (i)
T-350 LWB LR	3.7L V-6	4,600 (k)
T-350 LWB LR	3.5L V-6 TC	4,600 (f/i)
T-350 LWB LR	3.2L I-5 TD	3,700 (f)
T-350 LWB LR	3.2L I-5 TD	4,300 (i)
T-350 LWB MR	3.7L V-6	4,100 (i)
T-350 LWB MR	3.7L V-6	4,500 (k)
T-350 LWB MR	3.5L V-6 TC	4,500 (f,i)
T-350 LWB MR	3.2L I-5 TD	3,600 (f)

T-350 LWB MR	3.2L I-5 TD	4,200 (i)
T-350 LWB HR	3.7L V-6	4,000 (i)
T-350 LWB HR	3.7L V-6	4,400 (k)
T-350 LWB HR	3.5L V-6 TC	4,400 (f,i)
T-350 LWB HR	3.2L I-5 TD	3,500 (f)
T-350 LWB HR	3.2L I-5 TD	4,300 (i)
T-350 LWB EL EHR	3.5L V-6 TC	3,800 (f,i)
T-350 LWB EL EHR	3.2L I-5 TD	2,900 (f)
T-350 LWB EL EHR	3.2L I-5 TD	3,500 (i)

HONDA

Odyssey	3.5L V-6	3,500
Pilot 2WD	3.5L V-6	2,000
Pilot 4WD	3.5L V-6	4,500
Ridgeline	3.5L V-6	5,000

HYUNDAI

Santa Fe	2.4L I-4	2,000
Santa Fe	2.0L TC	3,500
Santa Fe	3.3L V-6	5,000
Tucson	All	2,000

INFINITI

QX50	3.7L V-6	2,000
QX60	3.5L V-6	5,000
QX70	3.7L V-6	2,000
QX70	5.0L V-8	3,500
QX80	5.6L V-8	8,500

JEEP

Cherokee	2.4L I-4	2,000
Cherokee	3.2L V-6	4,500 (t)
Grand Cherokee 2WD	3.6L V-6	7,400
Grand Cherokee 4WD	3.6L V-6	7,200
Grand Cherokee 2WD	5.7L V-8	7,400
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee 2WD	3.0L V-6 TD	7,400
Grand Cherokee 4WD	3.0L V-6 TD	7,200
Renegade	2.4L TC	2,000
Wrangler (All)	3.6L V-6	2,000

KIA

Sorento	3.5L V-6	3,500
Sportage	All	2,000

LAND ROVER

Discovery Sport	2.0L I-4 TC	3,500
Land Rover LR2	2.0L I-4 TC	3,500
Land Rover LR4	3.0L V-6 SC	7,716

2015 TOW RATINGS

Range Rover	3.0L V-6 SC	7,716
Range Rover Sport	3.0L V-6 SC	7,716

LEXUS

GX 470	4.6L V-8	6,500
LX 570	5.7L V-8	7,000
NX 200t	2.0L TC	2,000
RX 350	3.5L V-6	3,500
RX 450h AWD Hybrid	3.5L V-6	3,500

LINCOLN

MKT	3.7L V-6	2,000
MKT	3.5L V-6 TC	4,500
MKX	3.7L V-6	3,500
Navigator 2WD	3.5L V-6 TC	6,200
Navigator 2WD	3.5L V-6 TC	9,000 (t)
Navigator 4WD	3.5L V-6 TC	6,200
Navigator 4WD	3.5L V-6 TC	8,600 (t)
Navigator L 2WD	3.5L V-6 TC	6,200
Navigator L 2WD	3.5L V-6 TC	8,500 (t)
Navigator L 4WD	3.5L V-6 TC	6,200
Navigator L 4WD	3.5L V-6 TC	8,300 (t)

MAZDA

CX5	2.0L	2,000
CX9 (All)	3.7L V-6	3,500

MERCEDES-BENZ

G550	5.5L V-8	7,716
G63 AMG	5.5L V-8 TC	7,716
GL (All)	All	7,500
GLK250 BlueTec	2.5L I-4 TD	3,500
GLK350	3.5L V-6	3,500
ML250 BlueTec	2.1L TD	6,600
ML350	3.5L V-6	6,600
ML400	3.0L V-6 TC	7,200
ML63 AMG	5.5L V-8 TC	7,200

MITSUBISHI

Outlander 2WD/4WD	3.0L V-6	3,500
-------------------	----------	-------

NISSAN

Armada 2WD	5.6L V-8	8,200
Armada 4WD	5.6L V-8	9,000
Frontier CC 2WD	4.0L V-6	6,300
Frontier CC 4WD	4.0L V-6	6,100
Frontier KC 2WD	4.0L V-6	6,300
Frontier KC 4WD	4.0L V-6	6,100
Murano	3.5L V-6	3,500
Pathfinder	3.5L V-6	5,000

Quest	3.5L V-6	3,500
Titan KC 2WD SB S	5.6L V-8	7,400
Titan KC 4WD SB S	5.6L V-8	7,400
Titan KC 2WD SB SV	5.6L V-8	9,500
Titan KC 4WD SB SV	5.6L V-8	9,400
Titan KC 4WD SB PRO 4X	5.6L V-8	9,300
Titan CC 2WD S	5.6L V-8	7,400
Titan CC 4WD S	5.6L V-8	7,300
Titan CC 2WD SV	5.6L V-8	9,400
Titan CC 4WD SV	5.6L V-8	9,300
Titan CC 4WD PRO 4X	5.6L V-8	9,300
Titan CC 4WD SL	5.6L V-8	9,200
Titan CC 4WD SL	5.6L V-8	9,100
Titan CC 2WD LB	5.6L V-8	9,300
Titan CC 4WD LB	5.6L V-8	9,100
Xterra	4.0L V-6	5,000

PORSCHE

Cayenne	All	7,716
---------	-----	-------

RAM

1500 REGULAR CAB

1500 SB 2WD	3.6L V-6	4,960 (a8,d)
1500 SB 2WD	3.6L V-6	7,310 (a8,h)
1500 SB 2WD	5.7L V-8	7,160 (a6,d)
1500 SB 2WD	5.7L V-8	9,140 (a6,j)
1500 SB 2WD	5.7L V-8	8,630 (a8,d)
1500 SB 2WD	5.7L V-8	9,180 (a8,j)
1500 SB 4WD	3.6L V-6	4,770 (a8,d)
1500 SB 4WD	3.6L V-6	7,060 (a8,h)
1500 SB 4WD	5.7L V-8	9,050 (a6,h)
1500 SB 4WD	5.7L V-8	8,970 (a6,j)
1500 SB 4WD	5.7L V-8	8,420 (a8,d)
1500 SB 4WD	5.7L V-8	8,970 (a8,j)
1500 LB 2WD	3.6L V-6	4,790 (a8,d)
1500 LB 2WD	3.6L V-6	7,280 (a8,h)
1500 LB 2WD	5.7L V-8	7,050 (a6,d)
1500 LB 2WD	5.7L V-8	9,100 (a6,h)
1500 LB 2WD	5.7L V-8	10,650 (a6,j)
1500 LB 2WD	5.7L V-8	8,490 (a8,d)
1500 LB 2WD	5.7L V-8	10,640 (a8,j)
1500 LB 2WD	3.0L V-6 TD	8,240 (a8,h)
1500 LB 2WD	3.0L V-6 TD	9,200 (a8,j)
1500 LB 4WD	3.6L V-6	4,610 (a8,d)
1500 LB 4WD	3.6L V-6	7,110 (a8,h)
1500 LB 4WD	5.7L V-8	8,800 (a6,h)
1500 LB 4WD	5.7L V-8	10,430 (a6,j)
1500 LB 4WD	5.7L V-8	8,300 (a8,d)
1500 LB 4WD	5.7L V-8	10,450 (a8,j)

1500 LB 4WD	3.0L V-6 TD	8,030 (a8,h)
1500 LB 4WD	3.0L V-6 TD	9,030 (a8,j)

1500 CREW CAB

1500 SB 2WD	3.6L V-6	4,490 (a8,d)
1500 SB 2WD	3.6L V-6	7,480 (a8,h)
1500 SB 2WD	5.7L V-8	6,770 (a6,d)
1500 SB 2WD	5.7L V-8	8,820 (a6,h)
1500 SB 2WD	5.7L V-8	10,370 (a6,i)
1500 SB 2WD	5.7L V-8	8,170 (a8,d)
1500 SB 2WD	5.7L V-8	10,320 (a8,j)
1500 SB 2WD	3.0L V-6 TD	7,840 (a8,h)
1500 SB 2WD	3.0L V-6 TD	8,840 (a8,j)
1500 SB 4WD	3.6L V-6	4,190 (a8,d)
1500 SB 4WD	3.6L V-6	7,180 (a8,h)
1500 SB 4WD	5.7L V-8	8,610 (a6,h)
1500 SB 4WD	5.7L V-8	10,160 (a6,i)
1500 SB 4WD	5.7L V-8	8,000 (a8,d)
1500 SB 4WD	5.7L V-8	10,150 (a8,j)
1500 SB 4WD	3.0L V-6 TD	7,660 (a8,h)
1500 SB 4WD	3.0L V-6 TD	8,560 (a8,j)
1500 Std Bed 2WD	5.7L V-8	6,740 (a6,d)
1500 Std Bed 2WD	5.7L V-8	8,790 (a6,h)
1500 Std Bed 2WD	5.7L V-8	10,340 (a6,i)
1500 Std Bed 2WD	5.7L V-8	8,070 (a8,d)
1500 Std Bed 2WD	5.7L V-8	10,220 (a8,j)
1500 Std Bed 2WD	3.0L V-6 TD	7,880 (a8,h)
1500 Std Bed 2WD	3.0L V-6 TD	8,880 (a8,h)
1500 Std Bed 4WD	5.7L V-8	8,550 (a6,h)
1500 Std Bed 4WD	5.7L V-8	10,100 (a6,j)
1500 Std Bed 4WD	5.7L V-8	7,800 (a8,d)
1500 Std Bed 4WD	5.7L V-8	9,850 (a8,j)
1500 Std Bed 4WD	3.0L V-6 TD	7,590 (a8,h)
1500 Std Bed 4WD	3.0L V-6 TD	8,390 (a8,j)

1500 QUAD CAB

1500 2WD	3.6L V-6	4,620 (a8,d)
1500 2WD	3.6L V-6	7,600 (a8,h)
1500 2WD	5.7L V-8	6,790 (a6,d)
1500 2WD	5.7L V-8	8,840 (a6,h)
1500 2WD	5.7L V-8	10,390 (a6,i)
1500 2WD	5.7L V-8	8,210 (a8,d)
1500 2WD	5.7L V-8	10,360 (a8,j)
1500 2WD	3.0L V-6 TD	7,950 (a8,h)
1500 2WD	3.0L V-6 TD	8,950 (a8,j)
1500 4WD	3.6L V-6	4,450 (a8,d)
1500 4WD	3.6L V-6	7,440 (a8,h)

1500 4WD	5.7L V-8	8,670 (a6,h)
1500 4WD	5.7L V-8	10,220 (a6,j)
1500 4WD	5.7L V-8	8,060 (a8,d)
1500 4WD	5.7L V-8	10,210 (a8,j)
1500 4WD	3.0L V-6 TD	7,690 (a8,h)
1500 4WD	3.0L V-6 TD	8,690 (a8,j)

2500 REGULAR CAB

2500 LB 2WD	5.7L V-8	11,870 (a6,i)
2500 LB 2WD	5.7L V-8	13,870 (a6,k)
2500 LB 2WD	6.4L V-8	13,300 (a6,i)
2500 LB 2WD	6.4L V-8	16,300 (a6,k)
2500 LB 2WD	6.7L I-6 TD	16,900 (m6,g)
2500 LB 2WD	6.7L I-6 TD	17,970 (a6,g)
2500 LB 4WD	5.7L V-8	11,500 (a6,i)
2500 LB 4WD	5.7L V-8	13,500 (a6,k)
2500 LB 4WD	6.4L V-8	12,930 (a6,i)
2500 LB 4WD	6.4L V-8	15,930 (a6,k)
2500 LB 4WD	6.7L I-6 TD	16,440 (m6,g)
2500 LB 4WD	6.7L I-6 TD	17,520 (a6,g)

2500 CREW CAB

2500 SB 2WD	5.7L V-8	11,510 (a6,i)
2500 SB 2WD	5.7L V-8	13,510 (a6,k)
2500 SB 2WD	6.4L V-8	12,940 (a6,i)
2500 SB 2WD	6.4L V-8	15,940 (a6,k)
2500 SB 2WD	6.7L I-6 TD	16,450 (m6,g)
2500 SB 2WD	6.7L I-6 TD	17,510 (a6,g)
2500 SB 4WD	5.7L V-8	11,200 (a6,i)
2500 SB 4WD	5.7L V-8	13,200 (a6,k)
2500 SB 4WD	6.4L V-8	12,610 (a6,i)
2500 SB 4WD	6.4L V-8	15,610 (a6,k)
2500 SB 4WD	6.7L I-6 TD	16,120 (m6,g)
2500 SB 4WD	6.7L I-6 TD	17,180 (a6,g)
2500 LB 2WD	5.7L V-8	11,360 (a6,i)
2500 LB 2WD	5.7L V-8	13,360 (a6,k)
2500 LB 2WD	6.4L V-8	12,810 (a6,i)
2500 LB 2WD	6.4L V-8	15,810 (a6,k)
2500 LB 2WD	6.7L I-6 TD	16,290 (m6,g)
2500 LB 2WD	6.7L I-6 TD	17,360 (a6,g)
2500 LB 4WD	5.7L V-8	11,020 (a6,i)
2500 LB 4WD	5.7L V-8	13,010 (a6,k)
2500 LB 4WD	6.4L V-8	12,440 (a6,i)
2500 LB 4WD	6.4L V-8	15,440 (a6,k)
2500 LB 4WD	6.7L I-6 TD	15,940 (m6,g)
2500 LB 4WD	6.7L I-6 TD	17,020 (a6,g)

2015 TOW RATINGS

2500 MEGA CAB

2500 2WD	5.7L V-8	11,040 (a6,i)
2500 2WD	5.7L V-8	13,040 (a6,k)
2500 2WD	6.4L V-8	12,480 (a6,i)
2500 2WD	6.4L V-8	15,480 (a6,k)
2500 2WD	6.7L I-6 TD	16,100 (m6,g)
2500 2WD	6.7L I-6 TD	17,170 (a6,g)
2500 4WD	5.7L V-8	10,770 (a6,i)
2500 4WD	5.7L V-8	12,770 (a6,k)
2500 4WD	6.4L V-8	12,230 (a6,i)
2500 4WD	6.4L V-8	15,230 (a6,k)
2500 4WD	6.7L I-6 TD	14,520 (m6,g)
2500 4WD	6.7L I-6 TD	15,190 (a6,g)

3500 REGULAR CAB

3500 LB SRW 2WD	5.7L V-8	11,910 (a6,i)
3500 LB SRW 2WD	5.7L V-8	13,910 (a6,k)
3500 LB SRW 2WD	6.4L V-8	13,370 (a6,i)
3500 LB SRW 2WD	6.4L V-8	16,370 (a6,k)
3500 LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g)*
3500 LB SRW 4WD	5.7L V-8	11,560 (a6,i)
3500 LB SRW 4WD	5.7L V-8	13,560 (a6,k)
3500 LB SRW 4WD	6.4L V-8	12,970 (a6,i)
3500 LB SRW 4WD	6.4L V-8	15,970 (a6,k)
3500 LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g)*
3500 LB DRW 2WD	6.4L V-8	13,020 (a6,i)
3500 LB DRW 2WD	6.4L V-8	16,520 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g)
3500 LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i)
3500 LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g)
3500 LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i)
3500 LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g)*
3500 LB DRW 2WD	6.7L I-6 TD	24,410 (a6,i)*
3500 LB DRW 2WD	6.7L I-6 TD	30,000 (a6,k)*
3500 LB DRW 4WD	6.4L V-8	12,460 (a6,i)
3500 LB DRW 4WD	6.4L V-8	16,140 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g)
3500 LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i)
3500 LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g)
3500 LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i)
3500 LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g)*

3500 LB DRW 4WD	6.7L I-6 TD	24,030 (a6,i)*
3500 LB DRW 4WD	6.7L I-6 TD	29,530 (a6,k)*

3500 CREW CAB

3500 SB SRW 2WD	5.7L V-8	11,520 (a6,i)
3500 SB SRW 2WD	5.7L V-8	13,520 (a6,k)
3500 SB SRW 2WD	6.4L V-8	12,970 (a6,i)
3500 SB SRW 2WD	6.4L V-8	15,970 (a6,k)
3500 SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g)
3500 SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g)
3500 SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g)*
3500 SB SRW 4WD	5.7L V-8	11,200 (a6,i)
3500 SB SRW 4WD	5.7L V-8	13,200 (a6,k)
3500 SB SRW 4WD	6.4L V-8	12,640 (a6,i)
3500 SB SRW 4WD	6.4L V-8	15,640 (a6,k)
3500 SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g)
3500 SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g)
3500 SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g)*
3500 LB SRW 2WD	5.7L V-8	11,410 (a6,i)
3500 LB SRW 2WD	5.7L V-8	13,410 (a6,k)
3500 LB SRW 2WD	6.4L V-8	12,830 (a6,i)
3500 LB SRW 2WD	6.4L V-8	15,830 (a6,k)
3500 LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g)*
3500 LB SRW 4WD	5.7L V-8	11,020 (a6,i)
3500 LB SRW 4WD	5.7L V-8	13,020 (a6,k)
3500 LB SRW 4WD	6.4L V-8	12,470 (a6,i)
3500 LB SRW 4WD	6.4L V-8	15,470 (a6,k)
3500 LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
3500 LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
3500 LB DRW 2WD	6.4L V-8	12,450 (a6,i)
3500 LB DRW 2WD	6.4L V-8	15,950 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
3500 LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
3500 LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
3500 LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
3500 LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
3500 LB DRW 2WD	6.7L I-6 TD	23,860 (a6,i)*
3500 LB DRW 2WD	6.7L I-6 TD	29,360 (a6,k)*
3500 LB DRW 4WD	6.4L V-8	12,100 (a6,i)
3500 LB DRW 4WD	6.4L V-8	15,600 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	15,610 (m6,g)
3500 LB DRW 4WD	6.7L I-6 TD	17,610 (m6,i)
3500 LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
3500 LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
3500 LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)

3500 CC LB DRW 4WD	6.7L I-6 TD	20,510 (a6,g)*
3500 LB DRW 4WD	6.7L I-6 TD	23,510 (a6,i)*
3500 LB DRW 4WD	6.7L I-6 TD	29,010 (a6,k)*

3500 MEGA CAB

3500 SRW 2WD	5.7L V-8	11,270 (a6,i)
3500 SRW 2WD	5.7L V-8	13,270 (a6,k)
3500 SRW 2WD	6.4L V-8	12,710 (a6,i)
3500 SRW 2WD	6.4L V-8	15,710 (a6,k)
3500 SRW 2WD	6.7L I-6 TD	16,120 (m6,g)
3500 SRW 2WD	6.7L I-6 TD	17,160 (a6,g)
3500 SRW 2WD	6.7L I-6 TD	17,020 (a6,g)*
3500 SRW 4WD	5.7L V-8	10,990 (a6,i)
3500 SRW 4WD	5.7L V-8	12,990 (a6,k)
3500 SRW 4WD	6.4L V-8	12,400 (a6,i)
3500 SRW 4WD	6.4L V-8	15,400 (a6,k)
3500 SRW 4WD	6.7L I-6 TD	15,760 (m6,g)
3500 SRW 4WD	6.7L I-6 TD	16,800 (a6,g)
3500 SRW 4WD	6.7L I-6 TD	16,660 (a6,g)
3500 DRW 2WD	6.4L V-8	12,210 (a6,i)
3500 DRW 2WD	6.4L V-8	15,710 (a6,k)
3500 DRW 2WD	6.7L I-6 TD	15,720 (m6,g)
3500 DRW 2WD	6.7L I-6 TD	17,720 (m6,i)
3500 DRW 2WD	6.7L I-6 TD	16,770 (a6,g)
3500 DRW 2WD	6.7L I-6 TD	18,770 (a6,i)
3500 DRW 2WD	6.7L I-6 TD	21,770 (a6,k)
3500 DRW 2WD	6.7L I-6 TD	20,620 (a6,g)*
3500 DRW 2WD	6.7L I-6 TD	23,620 (a6,i)*
3500 DRW 2WD	6.7L I-6 TD	29,120 (a6,k)*
3500 DRW 4WD	6.4L V-8	12,020 (a6,i)
3500 DRW 4WD	6.4L V-8	15,520 (a6,k)
3500 DRW 4WD	6.7L I-6 TD	15,420 (m6,g)
3500 DRW 4WD	6.7L I-6 TD	17,420 (m6,i)
3500 DRW 4WD	6.7L I-6 TD	16,460 (a6,g)
3500 DRW 4WD	6.7L I-6 TD	18,460 (a6,i)
3500 DRW 4WD	6.7L I-6 TD	21,460 (a6,k)
3500 DRW 4WD	6.7L I-6 TD	20,320 (a6,g)*
3500 DRW 4WD	6.7L I-6 TD	23,320 (a6,i)*
3500 DRW 4WD	6.7L I-6 TD	28,820 (a6,k)*

* HO Cummins, HD 6-speed automatic.

SUBARU

Outback	2.5L 4-Cyl	2,700
Outback	3.6L 6-Cyl	3,000

TOYOTA

4Runner (All)	4.0L V-6	4,700
Highlander	3.5L V-6	2,000
Highlander	3.5L V-6	5,000 (t)

Highlander Hybrid	3.5L V-6	3,500
Land Cruiser	5.7L V-8	8,200
Sienna	3.5L V-6	3,500 (t)
Sequoia 2WD SR5	5.7L V-8	7,400
Sequoia 4WD SR5	5.7L V-8	7,100
Sequoia 2WD Ltd	5.7L V-8	7,400
Sequoia 4WD Ltd	5.7L V-8	7,100
Sequoia 2WD Platinum	5.7L V-8	7,200
Sequoia 4WD Platinum	5.7L V-8	7,000
Tacoma Reg Cab	2.7L I-4	3,500
Tacoma Access Cab	2.7L I-4	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tacoma DC 2WD/4WD	2.7L I-4	3,400
Tacoma DC PreRunner	2.7L I-4	3,500
Tacoma DC 2WD/4WD	4.0L V-6	3,500
Tacoma DC 2WD/4WD SB	4.0L V-6	6,500 (t)
Tacoma DC 2WD/4WD LB	4.0L V-6	6,400 (t)
Tundra Reg Cab LB 2WD	5.7L V-8	8,500
Tundra Reg Cab LB 2WD	5.7L V-8	10,500 (t)
Tundra Reg Cab LB 4WD	5.7L V-8	8,200
Tundra Reg Cab LB 4WD	5.7L V-8	10,200 (t)
Tundra DC Std Bed 2WD	4.6L V-8	6,800
Tundra DC Std Bed 2WD	5.7L V-8	8,200
Tundra DC Std Bed 2WD	5.7L V-8	10,300 (t)
Tundra DC Std Bed 4WD	4.6L V-8	6,500
Tundra DC Std Bed 4WD	5.7L V-8	7,800
Tundra DC Std Bed 4WD	5.7L V-8	10,000 (t)
Tundra DC LB 2WD	5.7L V-8	8,100
Tundra DC LB 2WD	5.7L V-8	10,100 (t)
Tundra DC LB 4WD	5.7L V-8	9,800
Tundra CrewMax 2WD	4.6L V-8	6,600
Tundra CrewMax 2WD	5.7L V-8	8,100
Tundra CrewMax 2WD	5.7L V-8	10,100 (t)
Tundra CrewMax 4WD	4.6L V-8	6,300
Tundra CrewMax 4WD	5.7L V-8	7,800
Tundra CrewMax 4WD	5.7L V-8	9,800 (t)

NOTE: Toyota Tundra tow ratings vary depending on trim level and equipment selected. See your dealer for details.

VOLKSWAGEN

Tiguan	2.0L I-4 TC	2,200
Touareg	All	7,716

VOLVO

S60	All	3,300
S80	All	3,500
XC60	All	3,300
XC70	All	3,500
XC90	All	NA at press time